




## Features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Same look, size and functionality as incandescent lamps
- Omni-directional light distribution
- A++ energy rating
- Suitable replacement for incandescent and halogen lamps
- Gives same sparkling light effect as incandescent lamp
- Dimensionally identical to incandescent lamps - fits all fixtures
- Environment friendly - no mercury and lower CO2 emissions

## Product Overview

Product name	ToLEDo RT GLS V4 CS 400LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	4.5
Cap/Base	E27
Fixture rating	Open
E-number FI	4740415
E-number SE	8295080
Colour temperature (K)	2700
CRI (Ra)	80
Wattage (W)	4.5
Product EAN number	5410288271576
Warranty	3 years

## Technical drawings



## Data table

### GENERAL DATA

Product name	ToLEDo RT GLS V4 CS 400LM 827 E27 SL
Technology	LED
Watt (Rated) (W)	4.5
Cap/Base	E27
Fixture rating	Open
Performance ambient temperature Tq (°C)	25
E-number FI	4740415
E-number SE	8295080
Warranty	3 years

### OPTICAL DATA

Luminous flux (Rated) (lm)	400
Colour temperature (K)	2700
CRI (Ra)	80

## ToLEDo RT GLS V4 CS 400LM 827 E27 SL 0027157

Lumen maintenance at end of nominal life (%)	70
--	----

### ELECTRICAL DATA

Wattage (W)	4.5
Starting time (max) (s)	0.5
Lamp power factor	0.5
Control gear required	No
Inrush Current (A)	2.6
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	38

### LIFETIME DATA

Average life (Rated) (h)	15000
--------------------------	-------

### PHYSICAL DATA

Nominal Product Length (mm)	104
Nominal Product Diameter (mm)	60
Weight (kg)	0.029

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288271576
Packaging single width (cm)	6.4
Packaging single depth (cm)	6.4
DUN14 (inner)	25410288271570
Units per inner package	6
Packaging inner length / height (cm)	20.3
Packaging inner width (cm)	13.7
Packaging inner depth (cm)	13.2
DUN14 (outer)	15410288271573
Packaging outer length / height (cm)	71.5

## SAFETY DATA

---

<b>Breakage cleaning instructions</b>	Not applicable
<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No
<b>Safety message</b>	Not Suitable for totally enclosed fixtures