

## Blacklight BL368 Linear T8

F36W T8 BL368 24  
0000092



### Product features

- The energy distribution of the BL368 lamp is concentrated around the spectral peak at 368nm which is the most important frequency for the attraction of flying insects.



## PRODUCT OVERVIEW

Product name	F36W T8 BL368 24
Technology	Special applications
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940425
Light colour	BL368 Blacklight
Wattage (W)	36.00
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	9000
Product EAN number	5410288000923

## DATA TABLE

### General data

Product name	F36W T8 BL368 24
Technology	Special applications
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-15°C...+40°C
ETIM Class	EC002962
E-number FI	4940425

## Blacklight BL368 Linear T8

*F36W T8 BL368 24*  
0000092

### Optical data

Ambient temperature for maximum luminous flux (°C)	25
Light colour	BL368 Blacklight
Adjustable chromaticity	N

### Electrical data

Wattage (W)	36.00
Current (A)	0.430
Primary Supply/Product voltage - min (V)	93.0
Primary Supply/Product voltage - max (V)	113.0
Control gear required	Yes
Dimmable	No
Dimming method	N/A
Drive current (mA)	430

### Lifetime data

Average life (Nominal) (h)	9000
----------------------------	------

### Physical data

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.083

### Packaging

Single packaging type	Carton
Product EAN number	5410288000923
Packaging single length / height (cm)	61.0
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288000920
Units per outer package	25
Packaging outer length / height (cm)	63.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	15.0


### Safety data

Lamp mercury content (mg)	2.80
Optimal operating condition (°C)	-15-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction

## Blacklight BL368 Linear T8 F36W T8 BL368 24 0000092

Suitable for household illumination	No
Safety message	Not suitable for household

### PHOTOMETRY



### TECHNICAL DRAWINGS

