





### Features

- Sleek and compact design Low energy consumption Instant light at the flick of switch No glare thanks to frosted diffuser 15,000 hours rated lamp life Good colour rendering - CRI80 Non-dimmable 3 years warranty The perfect lamp for cabinet lighting in kitchens, bedrooms and for displays and showcases

### Product Overview

Product name	ToLEDo MicroLynx V2 470LM 830 SL
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
E-number FI	4741146
Colour temperature (K)	3000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	5
Product EAN number	5410288296944
Warranty	3 years

## Technical drawings



## Data table

### GENERAL DATA

Product name	ToLEDo MicroLynx V2 470LM 830 SL
Technology	LED
Watt (Rated) (W)	5
Cap/Base	GX53
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4741146
Warranty	3 years

### OPTICAL DATA

Luminous flux (Rated) (lm)	470
Colour temperature (K)	3000
CRI (Ra)	80

## ToLEDo MicroLynx V2 470LM 830 SL 0029694

Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Lumen maintenance at end of nominal life (%)	70

### ELECTRICAL DATA

Wattage (W)	5
Equivalent watt (W)	40
Primary Supply/Product voltage - min (V)	220
Control gear required	No
Inrush Current (A)	2.4
Inrush Duration ( $\mu$ s)	420
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz

### LIFETIME DATA

Lifespan L70 B50	15000
Average life (Rated) (h)	15000

### PHYSICAL DATA

Nominal Product Length (mm)	75
Nominal Product Diameter (mm)	25
Weight (kg)	0.048

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288296944
Packaging single width (cm)	2.7
Packaging single depth (cm)	7.6
DUN14 (outer)	15410288296941
Packaging outer length / height (cm)	16.0


### SAFETY DATA

# SYLVANIA


ToLEDo MicroLynx V2 470LM 830 SL  
0029694

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not Suitable for totally enclosed fixtures

## Energy label



5  
kWh/1000h



5  
kWh/1000h



Light your world