

Motion detector, 230 V, 16 m, 300°, IP54, for surface mounting, white

351-26570



4 year warranty



Detection range


H	A Across	B Towards
2 m	16 m	8 m
3 m	16 m	8 m
4 m	16 m	8 m
5 m	16 m	8 m

This 1-channel outdoor motion detector, which is not activated by pets, is perfectly suitable for every light switch around the house. The detection range is 16 metres. The motion sensor can be precisely aimed. The device has a built-in light sensor and switches the lighting on automatically or manually with an N.O. push button (to be ordered separately). After the pre-set time delay, the light is switched off automatically. This sensor can be configured both manually and by remote control.

Remote control and mounting bracket for corners included.

Colour: white

- With intelligent tolerance to small animals (can be activated/deactivated)
- Minimal power consumption < 0.25 W
- As wall and ceiling detector with elimination of creeping zones and curtain function
- Rotatable and inclinable sensor head
- 300° detection range for installation in outside corner, incl. corner base




Technical features

Configuration	stand-alone
Input voltage	230 Vac
Detector output	230 V (ON/OFF)
Maximum current consumption	2.61 mA
Switch-off delay	pulse, 10 s – 20 min
Maximum standby consumption	≤ 0,25 W
Maximum power consumption	0.6 W
Maximum MCB rating	10 A
Detection angle	300 °
Detection range (PIR)	ø 16 m from a height of 3 m
Minimum ambient temperature	-20 °C
Maximum ambient temperature	+50 °C
Mounting method	surface mounting
Mounting height	2 m – 5 m
Colour	white
Dimensions visible (HxWxD)	112 mm x 105 mm
Dimensions (HxWxD)	112 mm x 105 mm x 148 mm
Protection degree standalone	IP54
Impact resistance	IK02
Modification of settings	Potentiometers or IR remote control
Certificates marks	CE

Accessories

351-10170	Mounting bracket for corners, white
351-10172	Mounting bracket for corners, black
350-41936	Universal remote control for smartphone
351-25320	IR remote control
351-25310	IR remote control for users
350-41936	Universal remote control for smartphone
351-25310	IR remote control for users
351-10170	Mounting bracket for corners, white

Dimensions



Wiring diagram

