


Features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent candle lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating

Product Overview

Product name	ToLEDo CAND V4 DIM FROSTED 470LM E14 SL
Technology	LED
Watt (Rated) (W)	5.6
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740197
E-number SE	8296540
Correlated colour temperature (k)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	280
Wattage (W)	5.6
Power consumption (W)	5.6
Dimmable	Yes
Average life (Nominal) (h)	15000
Product EAN number	5410288269351
Warranty	3 years
Useful luminous flux (#use)	470

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo CAND V4 DIM FROSTED 470LM E14 SL
Technology	LED
Watt (Rated) (W)	5.6
Cap/Base	E14
Fixture rating	Open
General application	Hospitality, Education, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740197
E-number SE	8296540
Warranty	3 years

OPTICAL DATA

ToLED_o CAND V4 DIM FROSTED 470LM E14 SL 0026935

Useful luminous flux (#use)	470
Luminous flux (Rated) (lm)	470
Correlated colour temperature (k)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	280

ELECTRICAL DATA

Power consumption (W)	5.6
Wattage (W)	5.6
Starting time (max) (s)	<0.5
Warm-up time to 60% of full light (max) (s)	<1.0
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.5
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	Yes
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

PHYSICAL DATA

Nominal Product Length (mm)	110
Nominal Product Diameter (mm)	38
Weight (kg)	0.041

PACKAGING

Product EAN number	5410288269351
--------------------	---------------

ToLEDo CAND V4 DIM FROSTED 470LM E14 SL 0026935

Packaging single length / height (cm)	12.5
Packaging single width (cm)	4.8
Packaging single depth (cm)	4.8
DUN14 (inner)	15410288269358
Units per inner package	6
Packaging inner length / height (cm)	15.0
Packaging inner width (cm)	10.5
Packaging inner depth (cm)	15.3
Units per outer package	60
Packaging outer length / height (cm)	55.2
Packaging outer width (cm)	17.6
Packaging outer depth (cm)	33.6

SAFETY DATA

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures