




Features

- Compact and elegant design
- Suitable replacement for halogen, incandescent and compact fluorescent GLS lamps
- Instant light at the flick of a switch
- Uniform light distribution
- Good colour rendering (CRI 80)
- Dimmable with approved dimmers
- Perfect for hotels, restaurants, lobbies, corridors, stairwells, reception areas
- Lower maintenance costs
- A+ energy rating

Product Overview

Product name	ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Education, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740295
Correlated colour temperature (k)	2700
Light colour	Homelight
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	11
Power consumption (W)	11
Dimmable	Yes
Average life (Nominal) (h)	25000
Product EAN number	5410288266831
Warranty	3 years
Dimming method	Mains: leading / trailing edge

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL
Technology	LED
Watt (Rated) (W)	11
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Frosted/Coated
General application	Hospitality, Education, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740295
Warranty	3 years

OPTICAL DATA

Luminous flux (Rated) (lm)	1060
Correlated colour temperature (k)	2700
Light colour	Homelight
CRI (Ra)	80

ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL 0026683

Colour Consistency (SDCM)	6
Adjustable chromaticity	N
Lumen maintenance at end of nominal life (%)	70

ELECTRICAL DATA

Power consumption (W)	11
Wattage (W)	11
Equivalent watt (W)	75
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.069
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.85
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Drive current (mA)	52

LIFETIME DATA

Average life (Nominal) (h)	25000
Average life (Rated) (h)	25000

PHYSICAL DATA

Nominal Product Diameter (mm)	109
Max. Lamp Diameter (mm) - D	60
Weight (kg)	0.111

PACKAGING

ToLEDo GLS V4 DIM FR 1060lm 827 E27 SL
0026683

Product EAN number	5410288266831
Packaging single length / height (cm)	14.0
Packaging single width (cm)	7.0
Packaging single depth (cm)	7.0
DUN14 (inner)	15410288266838
Units per inner package	6
Packaging inner length / height (cm)	23.4
Packaging inner width (cm)	16.1
Packaging inner depth (cm)	17.7
DUN14 (outer)	25410288266835
Units per outer package	60
Packaging outer length / height (cm)	82.7
Packaging outer width (cm)	25.3
Packaging outer depth (cm)	38.3

SAFETY DATA

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures