




### Features

- The microlynx LED FROSTED 4W aims to replace a GX53 CFL lamp. This product with a 15,000 hours life is available in 4000 Kelvin color, and will deliver high output of 470lm instantaneously. Perfect for kitchen or bathroom this product is 3 years warranty for a complete peace of mind.

### Product Overview

Product name	ToLEDo MicroLynx Frosted 470LM 840 SL
Technology	LED
Watt (Rated) (W)	4.5
Lamp shape	Flat round
Cap/Base	GX53
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740349
E-number SE	8292211
Correlated colour temperature (k)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Wattage (W)	4.5
Power consumption (W)	4.5
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288267876
Dimming method	N/A

### Technical drawings



### Data table

#### GENERAL DATA

Product name	ToLEDo MicroLynx Frosted 470LM 840 SL
Technology	LED
Watt (Rated) (W)	4.5
Lamp shape	Flat round
Cap/Base	GX53
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Residential & Consumer
ETIM Class	EC001959
E-number FI	4740349
E-number SE	8292211

#### OPTICAL DATA

Luminous flux (Rated) (lm)	470
Correlated colour temperature (k)	4000
Light colour	Cool White
CRI (Ra)	80
Colour Consistency (SDCM)	6
Adjustable chromaticity	N

## ToLEDo MicroLynx Frosted 470LM 840 SL 0026787

Lumen maintenance at end of nominal life (%)	80
--	----

### ELECTRICAL DATA

Power consumption (W)	4.5
Wattage (W)	4.5
Equivalent watt (W)	40
Starting time (max) (s)	0.05
Warm-up time to 60% of full light (max) (s)	< 1s => 60%
Current (A)	0.052
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Lamp power factor	0.4
Control gear required	No
No. Of switching cycles before premature failures	>50000
Dimmable	No
Dimming method	N/A
Drive current (mA)	35

### LIFETIME DATA

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

### PHYSICAL DATA

Nominal Product Height (mm)	25
Nominal Product Diameter (mm)	75
Weight (kg)	0.045

### PACKAGING

Product EAN number	5410288267876
Packaging single length / height (cm)	7.8

## ToLEDo MicroLynx Frosted 470LM 840 SL 0026787

Packaging single width (cm)	3.8
Packaging single depth (cm)	7.8
DUN14 (inner)	15410288267873
Units per inner package	6
Packaging inner length / height (cm)	16.3
Packaging inner width (cm)	12.4
Packaging inner depth (cm)	10.5
DUN14 (outer)	25410288267870
Units per outer package	60
Packaging outer length / height (cm)	66.0
Packaging outer width (cm)	18.2
Packaging outer depth (cm)	25.0

### SAFETY DATA

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	Yes