




### Features

- A perfect choice for hospitality, decorative and mood lighting applications Unique and innovative lamp design and construction Low-lumen output to create the low-lit effect and gives no glare Low power construction: only 2.5W Perfect for SylPendant fixtures - a range of unique and elegant E27 lamp pendants, available in copper, brass, black and white finish Candlelight 2000K colour temperature creates a warm and cosy ambience High colour rendering – CRI80 High quality, scratch and temperature resistant golden tinted glass envelope 25,000 hours of average rated life. Last 25 times longer than incandescent lamps Omni-directional light distribution Non-dimmable More than 100,000X switching cycles 3 years warranty

### Product Overview

Product name	ToLEDo Mirage G120 125LM E27 SL
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27
Fixture rating	Open
E-number FI	4740678
Colour temperature (K)	2000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	2.5
Product EAN number	5410288299082
Warranty	3 years

## Technical drawings



## Data table

### GENERAL DATA

Product name	ToLEDo Mirage G120 125LM E27 SL
Technology	LED
Watt (Rated) (W)	2.5
Cap/Base	E27
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4740678
Warranty	3 years

### OPTICAL DATA

## ToLEDo Mirage G120 125LM E27 SL 0029908

Luminous flux (Rated) (lm)	125
Colour temperature (K)	2000
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Lumen maintenance at end of nominal life (%)	70

### ELECTRICAL DATA

Wattage (W)	2.5
Equivalent watt (W)	13
Starting time (max) (s)	0.5
Primary Supply/Product voltage - min (V)	220
Lamp power factor	0.5
Control gear required	No
Inrush Current (A)	0.2
Inrush Duration ( $\mu$ s)	8000
Lamp Energy Label (class)	G
Nominal Frequency (Hz)	50/60Hz

### LIFETIME DATA

Lifespan L70 B50	25000
Average life (Rated) (h)	25000

### PHYSICAL DATA

Nominal Product Length (mm)	165
Nominal Product Diameter (mm)	125
Weight (kg)	0.14

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288299082
Packaging single width (cm)	13.2

## ToLEDo Mirage G120 125LM E27 SL 0029908

<b>Packaging single depth (cm)</b>	13.2
<b>DUN14 (outer)</b>	15410288299089
<b>Packaging outer length / height (cm)</b>	28.0

### SAFETY DATA

<b>Optimal operating condition (°C)</b>	-20-40
<b>Breakage cleaning instructions</b>	Not applicable
<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No
<b>Safety message</b>	Not Suitable for totally enclosed fixtures


# SYLVANIA

ToLEDo Mirage G120 125LM E27 SL  
0029908

## Energy label



0029908




**3**  
kWh/1000h



2019/2015



0029908



**3**  
kWh/1000h



2019/2015

Light your world