



Features

- Compact design
- Ideal for festoon and decorative lighting
- Instant light at the flick of a switch
- Available in seven different colours - red, green, blue, frosted (2700K and 4000K), yellow and orange
- Suitable for replacement of incandescent and halogen coloured lamps
- Uniform light distribution
- Suitable for outdoor use in IP44 or IP65 rated festoon lighting strips
- Lower maintenance costs
- 15,000 hours average rated life

Product Overview

Product name	TOLEDO DECO BALL HOMELIGHT E27 SL
Technology	LED
Watt (Rated) (W)	1
Cap/Base	E27
Fixture rating	Open
E-number FI	4740581
Colour temperature (K)	2700
CRI (Ra)	80
Wattage (W)	1
Product EAN number	5410288275239
Warranty	3 years

Data table

GENERAL DATA

Product name	TOLEDO DECO BALL HOMELIGHT E27 SL
Technology	LED

TOLEDO DECO BALL HOMELIGHT E27 SL 0027523

Watt (Rated) (W)	1
Cap/Base	E27
Fixture rating	Open
Performance ambient temperature Tq (°C)	25
E-number FI	4740581
Warranty	3 years

OPTICAL DATA

Luminous flux (Rated) (lm)	70
Colour temperature (K)	2700
CRI (Ra)	80
Lumen maintenance at end of nominal life (%)	70

ELECTRICAL DATA

Wattage (W)	1
Starting time (max) (s)	0.5
Lamp power factor	0.2
Control gear required	No
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Average life (Rated) (h)	15000
--------------------------	-------

PHYSICAL DATA

Nominal Product Length (mm)	68
Nominal Product Diameter (mm)	45
Weight (kg)	0.04

PACKAGING

Single packaging type	Carton
Product EAN number	5410288275239

TOLEDO DECO BALL HOMELIGHT E27 SL 0027523

Packaging single width (cm)	4.5
Packaging single depth (cm)	4.5
Units per inner package	10
Packaging inner length / height (cm)	24.0
Packaging inner width (cm)	9.5
Packaging inner depth (cm)	9.0
DUN14 (outer)	15410288275236
Packaging outer length / height (cm)	49.5

SAFETY DATA

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Suitable for outdoor (in IP44)
Safety message	Not Suitable for totally enclosed fixtures