

Specifications

Eaton OPM-1038R

Eaton Bussmann series Optima fuse holders, 30 A (UL/CSA), Three-pole, #10-18 AWG solid, #8-18 AWG, 200 kAIC, Thermoplastic, 600 V (UL/CSA), Use with 13/32 Inches X 1-1/2 Inches KTK, FNM, FNQ

General specifications

PRODUCT NAME	Eaton Bussmann series Optima fuse holders
CATALOG NUMBER	OPM-1038R
UPC	051712797245
PRODUCT LENGTH/DEPTH	0.001 in
PRODUCT HEIGHT	0.001 in
PRODUCT WIDTH	0.001 in
PRODUCT WEIGHT	0.535 lb
WARRANTY	Not Applicable
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	Contact Manufacturer UL Listed CSA Certified
PRODUCT TYPE	Fuse Holders



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	30A (UL/CSA)
INTERRUPT RATING	200 kAIC
SHORT-CIRCUIT RATING	200 kA
VOLTAGE RATING	600 V (UL/CSA)

General information

CONNECTION	#8-18 AWG stranded #10-18 AWG solid
USED WITH	For use with 13/32 In X 1- 1/2 In KTK, FNM, FNQ Non- Rejection fuse

Physical details

MATERIAL	Thermoplastic
NUMBER OF POLES	Three-pole

Resources

CATALOGS	Bussmann series full line catalog 1007, section 8 fuse blocks and holders
MULTIMEDIA	Bussmann series Fuseology
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - OPM-1038R
TECHNICAL DATA SHEETS	OPM-1038R~OPTIMA-FUSE HOLDER MODULE Bussmann series OPM-1038 non-switch fuse holder no. 1102
TECHNICAL SERVICE BULLETINS	Datasheet - FNQ-30

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

