



Features




- Blacklight BL368 Linear T12

Product Overview

Product name	F40W T12 BL368 48
Technology	Special applications
Cap/Base	G13
Fixture rating	Enclosed
E-number FI	4940428
Wattage (W)	40.00
Product EAN number	5410288000992

F40W T12 BL368 48
0000099

Technical drawings



Data table

GENERAL DATA

Product name	F40W T12 BL368 48
Technology	Special applications

F40W T12 BL368 48
0000099

Cap/Base	G13
Fixture rating	Enclosed
Operating temperature range (°C)	-20°C...+40°C
E-number FI	4940428

OPTICAL DATA

Ambient temperature for maximum luminous flux (°C)	25
Adjustable chromaticity	N

ELECTRICAL DATA

Wattage (W)	40.00
Primary Supply/Product voltage - min (V)	230
Control gear required	No

PHYSICAL DATA

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.275

PACKAGING

Single packaging type	Carton
Product EAN number	5410288000992
Packaging single width (cm)	4.3
Packaging single depth (cm)	4.1
DUN14 (outer)	15410288000999
Packaging outer length / height (cm)	124.0

SAFETY DATA

F40W T12 BL368 48
0000099

Lamp mercury content (mg)	9.00
Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not suitable for household