



Color: ■ gray

Technical data	
Suitable	for double-deck terminal blocks without marker carriers (279 Series)

Material data	
Color	gray
Weight	0.5 g
Fire load	0.015 MJ

Commercial data	
Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	50 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918054843
Customs tariff number	39269097900

Product Classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-40-75
eCl@ss 9.0	27-14-40-75
ETIM 9.0	EC002248
ETIM 10.0	EC002248
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

**Downloads**

**Environmental Product Compliance**

Compliance Search

Environmental Product Compliance 279-529

**CAD/CAE-Data**

CAD data

2D/3D Models 279-529

CAE data

WSCAD Universe 279-529

**1 Compatible Products**

**1.1 Optional Accessories**


**1.1.1 Marking**

**1.1.1.1 Marker**

- |  |   |   |   |
|--|---|---|---|
| <br><p><b>Item No.: 793-4501/000-006</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; blue</p>                           | <br><p><b>Item No.: 793-4501/000-014</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; brown</p>                           | <br><p><b>Item No.: 793-4501/000-007</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; gray</p>                          | <br><p><b>Item No.: 793-4501/000-023</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; green</p>                           |
| <br><p><b>Item No.: 793-4501/000-017</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; light green</p>                    | <br><p><b>Item No.: 793-4501/000-012</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; orange</p>                          | <br><p><b>Item No.: 793-4501/000-005</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; red</p>                           | <br><p><b>Item No.: 793-4501/000-024</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; violet</p>                          |
| <br><p><b>Item No.: 793-4501</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; white</p>                                  | <br><p><b>Item No.: 793-4501/000-002</b><br/>                 WMB marking card; as card; stretchable 4 - 4.2 mm; plain; snap-on type; yellow</p>                          | <br><p><b>Item No.: 2009-114/000-006</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; blue</p> | <br><p><b>Item No.: 2009-114/000-007</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; gray</p>   |
| <br><p><b>Item No.: 2009-114/000-023</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; green</p> | <br><p><b>Item No.: 2009-114/000-012</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; orange</p> | <br><p><b>Item No.: 2009-114/000-005</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; red</p>  | <br><p><b>Item No.: 2009-114/000-024</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; violet</p> |
| <br><p><b>Item No.: 2009-114</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; white</p>         | <br><p><b>Item No.: 2009-114/000-002</b><br/>                 WMB-Inline; for Smart Printer; 2000 pieces on roll; stretchable 4 - 4.2 mm; plain; snap-on type; yellow</p> |   |   |

## Installation Notes

## Application



**Double-deck marker carrier**  
(height including marker carrier)