




Features

- Ultra-efficient LED filament lamp range with the same reminiscent look of the classic traditional lamp
- Save up to 95% on energy bills compared to old incandescent lamps
- Energy Class A and best-in-class lumen efficacy
- Sustainable and eco-friendly solution
- Last three times longer than the standard LED retrofit lamps
- Remarkable 50,000 hours average rated life – reducing the hassle of frequent replacements
- Sparkling light effect
- Ideal for everyday lighting in homes, hotels, restaurants and more
- Omni-directional light distribution
- Non-dimmable

Product Overview

Product name	ToLEDo Platinum RT GLS CL 485LM 827 E27 SL
Technology	LED
Cap/Base	E27
Fixture rating	Open
E-number FI	4741169
Colour temperature (K)	2700
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1
Wattage (W)	2.3
IP rating	IP20
Product EAN number	5410288301303
Warranty	5 years

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo Platinum RT GLS CL 485LM 827 E27 SL
Technology	LED
Cap/Base	E27
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
E-number FI	4741169
Warranty	5 years

OPTICAL DATA

Colour temperature (K)	2700
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1

ELECTRICAL DATA

ToLEDo Platinum RT GLS CL 485LM 827 E27 SL 0030130

Wattage (W)	2.3
Equivalent watt (W)	40
Primary Supply/Product voltage - min (V)	220
Control gear required	No
Inrush Current (A)	9
Inrush Duration (μ s)	130
Lamp Energy Label (class)	A
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	50000
------------------	-------

PHYSICAL DATA

IP rating	IP20
Nominal Product Diameter (mm)	60
Weight (kg)	0.05

PACKAGING

Single packaging type	Carton
Product EAN number	5410288301303
Packaging single width (cm)	6.6
Packaging single depth (cm)	12.0
DUN14 (outer)	15410288301300
Packaging outer length / height (cm)	20.6

SAFETY DATA

Optimal operating condition ($^{\circ}$ C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not Suitable for totally enclosed fixtures

SYLVANIA

ToLEDo Platinum RT GLS CL 485LM 827 E27 SL
0030130

Energy label



0030130



3
kWh/1000h



2019/2015



0030130



3
kWh/1000h



2019/2015