

Data Sheet | Item Number: 750-106

Group marker carrier

<https://www.wago.com/750-106>



Color: transparent

WAGO's 750-106 and 750-107 Marker Carriers allow I/O functions to be identified throughout the node via continuous marking strips. Both carrier models permit continuous marking regardless of the I/O module housing used.

- 750-106, for I/O module housing with up to 4 LEDs, as well as for 48 mm I/O module housing
- 750-107, for I/O module housing with 8 or 16 LEDs

The marker carrier can be accommodated in the upper Mini-WSB marker slot. It is not necessary to use a carrier on each I/O module to mount the marking strip.

Technical data

Suitable	for I/O module housing with up to 4 LEDs and for the 48 mm I/O module housing
Insulation material (main housing)	Polycarbonate (PC)
Flammability class per UL94	V2

Material data

Color	transparent
Weight	0.4 g
Fire load	0.016 MJ

Commercial data

Product Group	15 (I/O System)
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821608684
Customs tariff number	39269097900

Product Classification

UNSPSC	39121321
eCl@ss 10.0	27-14-40-75
eCl@ss 9.0	27-37-12-29
ETIM 9.0	EC002248
ETIM 8.0	EC002248
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Downloads

Environmental Product Compliance

Compliance Search
 Environmental Product Compliance 750-106 [↓](#)

Documentation

Bid Text			
750-106	19.02.2019	xml 3.39 KB	↓
750-106	09.01.2019	docx 14.82 KB	↓

CAD/CAE-Data

CAD data
 2D/3D Models 750-106 [↓](#)

CAE data
 EPLAN Data Portal 750-106 [↓](#)
 WSCAD Universe 750-106 [↓](#)
 ZUKEN Portal 750-106 [↓](#)

1 Compatible Products

1.1 Required Accessories

1.1.1 Marking

1.1.1.1 Marker



Item No.: 2009-115
 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

1.1.1.2 Marking strip



Item No.: 2009-110
 Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type; white

Installation Notes

Application

