



Data Sheet | Item Number: 215-311
Banana plug; for socket 4 mm Ø; 2,50 mm²; black

<https://www.wago.com/215-311>



Color: ■ black



Dimensions in mm

Technical data

Total number of potentials 1

Electrical data

Rated current 20 A
Test voltage 42 V

Connection data

Connection technology CAGE CLAMP®
Strip length 9 ... 11 mm / 0.35 ... 0.43 inches
Clamping units 1
Solid conductor 0.08 ... 2.5 mm² / 28 ... 14 AWG
Fine-stranded conductor 0.08 ... 2.5 mm² / 28 ... 14 AWG

Physical data

Width	8 mm / 0.315 inches
Height	15 mm / 0.591 inches
Depth	40 mm / 1.575 inches

Material data

Color	black
Fire load	0.041 MJ
Weight	3.9 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	50 pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454293499
Customs tariff number	85366990990

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-44-03-13
eCl@ss 9.0	27-44-03-13
ETIM 9.0	EC002255
ETIM 8.0	EC002255
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 215-311



Documentation

Bid Text

215-311	19.02.2019	xml 3.02 KB	
215-311	19.09.2017	doc 24.50 KB	

CAD/CAE-Data

CAD data	CAE data
2D/3D Models 215-311 	EPLAN Data Portal 215-311 
	WSCAD Universe 215-311 

Installation Notes



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

Strip conductor to 9 ... 11 mm (0.35 ... 0.43 inch).

Testing



Testing via banana plug.
Picture shows a test plug adapter (Item No. 209-170).