OSRAM

ORIGINAL - GLASS WEDGE BASE W21W

Original spare part





The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information


Electrical Data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21 W
Power input tolerance	±6 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	460 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions



Lamp base	W3x16d
Length	47.5 mm
Diameter	20.0 mm
Product weight	6.80 g

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	600 hr

Capabilities

Certificates & standards

ECE category	W21W

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Primary article identifier	4052899324244 4062172396288 4052899324565 4062172396264 4052899417878 4062172345392		
Candidate list substance 1	No declarable substances contained		
Declaration no. in SCIP database	No declarable substances contained		

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899324244	ORIGINAL - WEDGE BASE W21W	Unpacked 1	47 mm x 20 mm x 20 mm	0.18 dm³	7.00 g
4052899324268	ORIGINAL - WEDGE BASE W21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	567.00 g
4052899324565	ORIGINAL - WEDGE BASE W21W	VER 2	95 mm x 70 mm x 18 mm	0.18 dm ³	19.00 g
4052899324572	ORIGINAL - WEDGE BASE W21W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm ³	241.00 g
4062172396288	ORIGINAL - WEDGE BASE W21W	Blister 2	70 mm x 27 mm x 95 mm	0.18 dm ³	25.00 g
4062172396295	ORIGINAL - WEDGE BASE W21W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm ³	290.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















OSRAM