



**Data Sheet | Item Number: 215-911**  
Banana plug; for socket 4 mm Ø; 2,50 mm<sup>2</sup>; green-yellow

<https://www.wago.com/215-911>



Color: ■ green-yellow



Dimensions in mm

#### Technical data

Total number of potentials	1
----------------------------	---

#### Electrical data

Rated current	20 A
Test voltage	42 V

#### Connection Data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inches
Clamping units	1
Solid conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm <sup>2</sup> / 28 ... 14 AWG

#### Physical data

Width	8 mm / 0.315 inches
Height	15 mm / 0.591 inches
Depth	40 mm / 1.575 inches

#### Material data

Color	green-yellow
Fire load	0.04 MJ
Weight	3.9 g

### Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	50 pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454293567
Customs tariff number	85366990990

### Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-44-03-13
eCl@ss 9.0	27-44-03-13
ETIM 9.0	EC002255
ETIM 10.0	EC002255
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	11a03ff5-a36f-43da-b613-56f9cc3f0f73
SCIP notification number (Belgium)	b76949c6-e6eb-48b3-8a4f-d3e40bb5bbf3
SCIP notification number (Bulgaria)	ba74eb32-6f43-4bff-bbdd-110f2dd35b0c
SCIP notification number (Czech Republic)	b7e4d258-b776-4d4c-873e-0b1622a09379
SCIP notification number (Denmark)	374f27a2-7a2f-489b-b3d3-db34ca1e99e9
SCIP notification number (Finland)	fba41022-f292-4a5d-929b-4be4bf903756
SCIP notification number (France)	a2e81971-2a70-4c24-8d8c-d887d2a26d87
SCIP notification number (Germany)	534e3015-7658-4225-9766-10ffea125f7f
SCIP notification number (Hungary)	49d347b9-f772-482a-9f27-3f50e55ac4b7
SCIP notification number (Italy)	cf5684cb-e759-4fd2-a561-851d016e9e8f
SCIP notification number (Netherlands)	e676c47b-5ec8-4fa4-b85c-ba063cf9c9c3
SCIP notification number (Poland)	3fed0584-489d-4db5-ad3b-455b0e19a745
SCIP notification number (Romania)	789bcf42-8b74-4a01-95ad-e85601b1f323
SCIP notification number (Sweden)	a7d62418-380b-4e56-a926-5857023c5344

### Downloads

#### Environmental Product Compliance

##### Compliance Search

Environmental Product  
Compliance 215-911



## Documentation

### Bid Text

215-911	19.02.2019	xml 3.02 KB	↓
215-911	19.09.2017	doc 25.50 KB	↓

## CAD/CAE-Data

### CAD data

2D/3D Models 215-911



### CAE data

EPLAN Data Portal  
215-911



WSCAD Universe  
215-911



## Installation Notes

### Conductor termination



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

## Testing



Testing via banana plug.  
Picture shows a test plug adapter (Item No. 209-170).