



Features


- Energy efficient and affordable LED T8 solution to replace conventional fluorescent T8 lamps
- Omni-directional uniform light distribution thanks to glass tube construction design, same as traditional fluorescent T8 tubes
- Lumen output - 2300lm
- High lumen efficacy - 135 lm/W
- Switching cycles - 200,000X
- Average rated life 30,000 hours
- Lamp length - 1500mm
- Wide beam angle
- Suitable for general illumination in offices, supermarkets, department stores, parking lots
- Suitable for operation with electromagnetic gears/CCG and direct mains operation (220-240V)
- 3-Year warranty



Product Overview

Product name	ToLEDo NEOS T8 CCG L1500 2300LM 865 30K RL
Technology	LED
Cap/Base	G13
E-number FI	4941340
Colour temperature (K)	6500
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	17
IP rating	IP20
Product EAN number	5410288302355
Warranty	3 years

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo NEOS T8 CCG L1500 2300LM 865 30K RL
Technology	LED
Cap/Base	G13
Operating temperature range (°C)	-20°C...+45°C
E-number FI	4941340
Warranty	3 years

OPTICAL DATA

Colour temperature (K)	6500
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0

ELECTRICAL DATA

Wattage (W)	17
-------------	----

ToLEDo NEOS T8 CCG L1500 2300LM 865 30K RL 0030235

Primary Supply/Product voltage - min (V)	220
Lamp power factor	0.5
Control gear required	No
Inrush Current (A)	12.3
Inrush Duration (μ s)	29
Lamp Energy Label (class)	D

LIFETIME DATA

Lifespan L70 B50	30000
------------------	-------

PHYSICAL DATA

IP rating	IP20
Nominal Product Length (mm)	1499
Nominal Product Diameter (mm)	28
Weight (kg)	0.28

PACKAGING

Single packaging type	Carton
Product EAN number	5410288302355
Packaging single width (cm)	2.8
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288302352
Packaging outer length / height (cm)	159.5

SAFETY DATA

Optimal operating condition ($^{\circ}$ C)	-20-45
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not Suitable for totally enclosed fixtures


SYLVANIA

ToLEDo NEOS T8 CCG L1500 2300LM 865 30K RL
0030235

Energy label



0030235




17
kWh/1000h



2019/2015



0030235



17
kWh/1000h



2019/2015