

Start Surface IP66 Ø350mm - Accessories

START SURFACE IP66 350MM EYELID WHT
0049032



PRODUCT OVERVIEW

Product name	START SURFACE IP66 350MM EYELID WHT
Technology	Accessory
Housing	PC Polycarbonate
Environment	Indoor, Outdoor
E-number FI	4579486
Warranty	5 years
Housing colour	RAL 9003 - Signal white
Product EAN number	5410288490328

DATA TABLE

General data

Product name	START SURFACE IP66 350MM EYELID WHT
Technology	Accessory
Housing	PC Polycarbonate
Environment	Indoor, Outdoor
E-number FI	4579486
Warranty	5 years

Electrical data

Glow Wire Test (°C)	650
---------------------	-----

Physical data


Housing colour	RAL 9003 - Signal white
Weight (kg)	0.17

Packaging

Single packaging type	Carton
Product EAN number	5410288490328
Packaging single width (cm)	35.0
Packaging single depth (cm)	0.8
DUN14 (outer)	15410288490325
Packaging outer length / height (cm)	72.0


Start Surface IP66 Ø350mm - Accessories *START SURFACE IP66 350MM EYELID WHT* 0049032

PHOTOMETRY



Distance [m]	Cone diameter [m]	E ₀ [lx]	E ₁ [lx]	E ₂ [lx]	Beam angle [°]	Illuminance [lx]
0.5	1.48	1388	55.9°	120		
1.0	2.95	339	55.9°	30		
1.5	4.43	181	55.9°	13		
2.0	5.91	85	55.9°	7		
2.5	7.38	54	55.9°	6		
3.0	8.86	38	55.9°	3		

Distance [m] Cone diameter [m] Illuminance [lx]
 C0 - C180 (Half beam angle: 111.8°)



Distance [m]	Cone diameter [m]	E ₀ [lx]	E ₁ [lx]	E ₂ [lx]	Beam angle [°]	Illuminance [lx]
0.5	1.65	762	55.9°	54		
	2.19	29	55.9°			
1.0	3.30	196	55.9°	13		
	4.38	1	55.9°			
1.5	4.95	87	55.9°	6		
	6.58	5	55.9°			
2.0	6.60	49	55.9°	2		
	8.78	2	55.9°			
2.5	8.26	31	55.9°	2		
	10.97	1	55.9°			
3.0	9.91	22	55.9°	1		
	13.17	1	55.9°			

Distance [m] Cone diameter [m] Illuminance [lx]
 C0 - C180 (Half beam angle: 131.0°)
 C90 - C270 (Half beam angle: 117.6°)

TECHNICAL DRAWINGS

