



Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	1-7

Product Certificate

## Multilayer pipe system

Based on pre-certification tests as well as periodic inspections by Kiwa Nederland B.V., the products referred to in this certificate and marked with the GASTEC QA mark, supplied by

## Henco Industries N.V.

may, on delivery, be relied upon to comply with the GASTEC QA Approval Requirements 198, for "Multilayer piping systems for indoor gas installations" dated September 2018.

Ron Scheepers  
Kiwa

This certificate is issued by Kiwa Nederland B.V. in conjunction with the KIWA regulations for Certification 2017.

This certificate consists of 7 pages.  
Publication of the certificate is allowed.

Kiwa Nederland B.V.  
Sir. Winston Churchillaan 273  
P.O. Box 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel.+31 88 998 4400  
info@kiwa.nl  
www.kiwa.nl

**supplier**  
Henco Industries NV  
Toekomstlaan 27  
2200 Herentals  
Belgium

[www.henco.be](http://www.henco.be)



Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	2-7

## Multilayer pipe system

---

### PRODUCT SPECIFICATION

HENCO GAS - Multilayer PEXc/AL/PEXc pipe systems for indoor gas installations.

Max. operating pressure 5 bar.

Diameters 16x2,0 – 20x2,0 – 26x3,0 – 32x3,0 – 40x3,5 mm

Fittings for 16, 20, 26 and 32 mm pipe system:

Material of the fitting PVDF (type PKG) colour black or brass (type PG) with pressure sleeve of stainless steel.

Fittings for 40 mm pipe system:

Material of the fitting PVDF (type PKG only), colour black with pressure sleeve of stainless steel.

### PVDF fittings

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
1PKG-1616	16x16	Elbow 90°
1PKG-2020	20x20	Elbow 90°
1PKG-2626	26x26	Elbow 90°
1PKG-3232	32x32	Elbow 90°
1PKG-4040	40x40	Elbow 90°
2PKG-1604BP	16x1/2" (56 mm)	Backplate elbow female
2PKG-2004BP	20x1/2" (56 mm)	Backplate elbow female
2PKG-2005	20x3/4" (56 mm)	Backplate elbow female
2PKG-2605	26x3/4" (56 mm)	Backplate elbow female
2PKG-1604KBP	16x1/2" (40 mm)	Backplate elbow female, short model
3PKG-160416BP	16x1/2"x16 (40 mm)	Sanitary double backplate elbow female, short model
3PKG-200420BP	20x1/2"x20 (40 mm)	Sanitary double backplate elbow female, short model
5PKG-1604	16x1/2"	Bent male iron adaptor 90°
5PKG-2004	20x1/2"	Bent male iron adaptor 90°
5PKG-2005	20x3/4"	Bent male iron adaptor 90°
5PKG-2605	26x3/4"	Bent male iron adaptor 90°
5PKG-3206	32x1"	Bent male iron adaptor 90°
5PKG-4007	40x5/4"	Bent male iron adaptor 90°
6PKG-1604BP	16x1/2"	Bent female iron adaptor 90°
6PKG-2004BP	20x1/2"	Bent female iron adaptor 90°
6PKG-2005	20x3/4"	Bent female iron adaptor 90°
6PKG-2605	26x3/4"	Bent female iron adaptor 90°
6PKG-3206	32x1"	Bent female iron adaptor 90°
6PKG-4007	40x5/4"	Bent female iron adaptor 90°

Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	3-7

## Multilayer pipe system

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
9PKG-161616	16x16x16	Equal Tee
9PKG-202020	20x20x20	Equal Tee
9PKG-262626	26x26x26	Equal Tee
9PKG-323232	32x32x32	Equal Tee
9PKG-404040	40x40x40	Equal Tee
10PKG-201620	20x16x20	T-reduced centre
10PKG-261626	26x16x26	T-reduced centre
10PKG-262026	26x20x26	T-reduced centre
10PKG-321632	32x16x32	T-reduced centre
10PKG-321832	32x18x32	T-reduced centre
10PKG-322032	32x20x32	T-reduced centre
10PKG-322632	32x26x32	T-reduced centre
10PKG-401640	40x16x40	T-reduced centre
10PKG-402040	40x20x40	T-reduced centre
10PKG-402640	40x26x40	T-reduced centre
10PKG-403240	40x32x40	T-reduced centre
11PKG-201616	20x16x16	T-branch and line reduced
11PKG-202016	20x20x16	T-branch and line reduced
11PKG-261620	26x16x20	T-branch and line reduced
11PKG-262016	26x20x16	T-branch and line reduced
11PKG-262020	26x20x20	T-branch and line reduced
11PKG-262616	26x26x16	T-branch and line reduced
11PKG-262620	26x26x20	T-branch and line reduced
11PKG-322026	32x20x26	T-branch and line reduced
11PKG-322626	32x26x26	T-branch and line reduced
11PKG-402632	40x26x32	T-branch and line reduced
11PKG-402032	40x20x32	T-branch and line reduced
11PKG-403232	40x32x32	T-branch and line reduced
11PKG-404026	40x40x26	T-branch and line reduced
11PKG-404032	40x40x32	T-branch and line reduced
12PKG-162016	16x20x16	T-enlarged branch
12PKG-202620	20x26x20	T-enlarged branch
12PKG-263226	26x32x26	T-enlarged branch
12PKG-324032	32x40x32	T-enlarged branch

Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	4-7

## Multilayer pipe system

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
13PKG-160416BP	16X1/2"x16	T-female iron branch
13PKG-200420BP	20x1/2"x20	T-female iron branch
13PKG-200520	20x3/4"x20	T-female iron branch
13PKG-260420BP	26x1/2"x20	T-female iron branch
13PKG-260426BP	26x1/2"x26	T-female iron branch
13PKG-260526	26x3/4"x26	T-female iron branch
13PKG-320532	32x3/4"x32	T-female iron branch
13PKG-320632	32x1"x32	T-female iron branch
13PKG-320732	32x5/4"x32	T-female iron branch
13PKG-400640	40x1"x40	T-female iron branch
13PKG-400740	40x5/4"x40	T-female iron branch
14PKG-160416	16x1/2"x16	T-male iron branch
14PKG-200420	20x1/2"x20	T-male iron branch
14PKG-200520	20x3/4"x20	T-male iron branch
14PKG-260426	26x1/2"x26	T-male iron branch
14PKG-260526	26x3/4"x26	T-male iron branch
14PKG-260626	26x1"x26	T-male iron branch
14PKG-320532	32x3/4"x32	T-male iron branch
14PKG-400640	40x1"x40	T-male iron branch
14PKG-400740	40x5/4"x40	T-male iron branch
15PKG-1616	16x16	Straight coupling
15PKG-2020	20x20	Straight coupling
15PKG-2626	26x26	Straight coupling
15PKG-3232	32x32	Straight coupling
15PKG-4040	40x40	Straight coupling
16PKG-2016	20x16	Reducing coupling
16PKG-2616	26x16	Reducing coupling
16PKG-2620	26x20	Reducing coupling
16PKG-3216	32x16	Reducing coupling
16PKG-3220	32x20	Reducing coupling
16PKG-3226	32x26	Reducing coupling
16PKG-4026	40x26	Reducing coupling
16PKG-4032	40x32	Reducing coupling
17PKG-1604	16x1/2"	Straight male iron adapter
17PKG-2004	20x1/2"	Straight male iron adapter
17PKG-2005	20x3/4"	Straight male iron adapter
17PKG-2605	26x3/4"	Straight male iron adapter
17PKG-2606	26x1"	Straight male iron adapter
17PKG-3206	32x1"	Straight male iron adapter
17PKG-3207	32x5/4"	Straight male iron adapter
17PKG-4006	40x1"	Straight male iron adapter
17PKG-4007	40x5/4"	Straight male iron adapter

Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	5-7

## Multilayer pipe system

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
18PKG-1604	16x1/2"	Straight female iron adapter
18PKG-2004	20x1/2"	Straight female iron adapter
18PKG-2005	20x3/4"	Straight female iron adapter
18PKG-2605	26x3/4"	Straight female iron adapter
18PKG-2606	26x1"	Straight female iron adapter
18PKG-3206	32x1"	Straight female iron adapter
18PKG-3207	32x5/4"	Straight female iron adapter
18PKG-4006	40x1"	Straight female iron adapter
18PKG-4007	40x5/4"	Straight female iron adapter

### Brass fittings

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
1PG-1616	16x2-16x2	Elbow 90°
1PG-2020	20x2-20x2	Elbow 90°
1PG-2626	26x3-26x3	Elbow 90°
1PG-3232	32x3-32x3	Elbow 90°
2PG-1604	16x2-1/2"IG	Backplate
2PG-2004	20x2-1/2"IG	Backplate
2PG-2005	20x2-3/4"IG	Backplate
5PG-1604	16x2-1/2"AG	Elbow 90°
5PG-2004	20x2-1/2"AG	Elbow 90°
5PG-2005	20x2-3/4"AG	Elbow 90°
5PG-2605	26x3-3/4"AG	Elbow 90°
5PG-3206	32x3-3/4"AG	Elbow 90°
6PG-1604	16x2-1/2"IG	Elbow 90°
6PG-2004	20x2-1/2"IG	Elbow 90°
6PG-2005	20x2-3/4"IG	Elbow 90°
6PG-2605	26x3-3/4"IG	Elbow 90°
6PG-3206	32x3-1"IG	Elbow 90°
9PG-161616	16x2-16x2-16x2	T-piece
9PG-202020	20x2-20x2-20x2	T-piece
9PG-262626	26x3-26x3-26x3	T-piece
9PG-323232	32x3-32x3-32x3	T-piece
10PG-201620	20x2-16x2-20x-2	T-piece
10PG-261626	26x3-16x2-26x3	T-piece
10PG-262026	26x3-20x2-26x3	T-piece
10PG-321632	32x3-16x2-32x3	T-piece
10PG-322032	32x3-20x2-32x3	T-piece
10PG-322632	32x3-26x3-32x3	T-piece

Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	6-7

## Multilayer pipe system

<b>Article Number</b>	<b>Type</b>	<b>Description</b>
11PG-202016	20x2-20x2-16x2	T-piece
11PG-201616	20x2-16x2-16x2	T-piece
11PG-261620	26x3-16x2-20x2	T-piece
11PG-262020	26x3-20x2-20x2	T-piece
11PG-262616	26x3-26x3-16x2	T-piece
11PG-262620	26x3-26x3-20x2	T-piece
13PG-160416	16x2-1/2"IG-16x2	T-piece
13PG-200420	20x2-1/2"IG-20x2	T-piece
15PG-1616	16x2-16x2	Coupling
15PG-2020	20x2-20x2	Coupling
15PG-2626	26x3-26x3	Coupling
15PG-3232	32x3-32x3	Coupling
16PG-2016	20x2-16x2	Coupling
16PG-2620	26x3-20x2	Coupling
16PG-2616	26x2-16x2	Coupling
16PG-3226	32x2-16x2	Coupling
17PG-1604	16x2-1/2"AG	Coupling
17PG-2004	20x2-1/2"AG	Coupling
17PG-2604	26x3-1/2"AG	Coupling
17PG-2605	26x3-3/4"AG	Coupling
17PG-3206	32x3-1"AG	Coupling
18PG-1604	16x2-1/2"IG	Coupling
18PG-2004	20x2-1/2"IG	Coupling
18PG-2005	26x3-1/2"IG	Coupling
18PG-2605	26x3-3/4"IG	Coupling
18PG-3206	32x3-1"IG	Coupling

Number	88311/03	Replaces	88311/02
Issued	15/01/2021	Scope	AR 198
Contract number	Q10/003	Page	7-7

## Multilayer pipe system

---

### APPLICATION AND USE

Multilayer piping systems for indoor gas installations for the supply of gaseous fuels of the 2nd and 3rd family according to NEN-EN 437. Maximum operating pressure 5 bar. Operating temperature -20 °C up to 60 °C. Nominal diameter up to and including 63 mm.

---

### MARKING

#### Pipes:

- GASTEC QA, GASTEC QA logo or trademark
- Name manufacturer or trademark: Henco
- Fluid to be conveyed: Gas
- Maximal design pressure (MOP): 5 bar
- Dimensions (nominal outer diameter and nominal wall thickness)
- Material designation; PE-Xc/AL/PE-Xc,
- Production period (date/code):
- Standard reference number: ISO 17484.

#### Fittings:

- GASTEC QA, GASTEC QA logo or trademark
  - Name or trademark of the manufacturer: Henco
  - Fluid to be conveyed or yellow marking:
  - Body material:
  - Nominal diameter(s) Dn to which the fitting is intended to joint (corresponding pipe)
  - Material classification of pipe(s) including reference to pipe manufacturer
- 

### RECOMMENDATIONS FOR END USERS

Check at the time of delivery whether:

- the producer has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport.

Consult the producer's processing guidelines for the proper storage and transport methods.

Check whether this certificate is still valid by consulting Kiwa Nederland B.V. or the Kiwa website.

If you should reject a product on the basis of the above, please contact the supplier and, if necessary, Kiwa Nederland B.V.

---