



### Features



- LED Striplight replacement for incandescent lamp  
High lumen output: up to 806lm 15,000 hours average rated life Up to 85% energy saving Creates a warm ambiance similar to traditional lamps Perfect for kitchen, mirror lighting, shaver lighting, bathroom 3 year warranty

### Product Overview

Product name	ToLEDo Striplight V3 310MM 806LM S19
Technology	LED
Watt (Rated) (W)	8.5
Cap/Base	S19
Fixture rating	Open
E-number FI	4741152
Colour temperature (K)	2700
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Wattage (W)	8.5
Product EAN number	5410288281070
Warranty	3 years

## ToLEDo Striplight V3 310MM 806LM S19 0028107

### Technical drawings



### Data table

#### GENERAL DATA

Product name	ToLEDo Striplight V3 310MM 806LM S19
Technology	LED
Watt (Rated) (W)	8.5
Cap/Base	S19
Fixture rating	Open
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4741152
Warranty	3 years

#### OPTICAL DATA

Luminous flux (Rated) (lm)	806
Colour temperature (K)	2700
CRI (Ra)	80

## ToLEDo Striplight V3 310MM 806LM S19 0028107

Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG0
Lumen maintenance at end of nominal life (%)	70

### ELECTRICAL DATA

Wattage (W)	8.5
Equivalent watt (W)	60
Starting time (max) (s)	0.5
Primary Supply/Product voltage - min (V)	220
Lamp power factor	1
Control gear required	No
Inrush Current (A)	3.3
Inrush Duration ( $\mu$ s)	290
Lamp Energy Label (class)	F
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	251

### LIFETIME DATA

Lifespan L70 B50	15000
Average life (Rated) (h)	15000

### PHYSICAL DATA

Nominal Product Length (mm)	309
Nominal Product Diameter (mm)	38
Weight (kg)	0.066

### PACKAGING

Single packaging type	Carton
Product EAN number	5410288281070
Packaging single width (cm)	4.0
Packaging single depth (cm)	4.0
DUN14 (outer)	15410288281077

# SYLVANIA

ToLEDo Striplight V3 310MM 806LM S19  
0028107

Packaging outer length / height (cm)	32.4
--------------------------------------	------

## SAFETY DATA

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not Suitable for totally enclosed fixtures

## Energy label



0028107




9  
kWh/1000h



2019/2015



0028107



9  
kWh/1000h



2019/2015

Light your world