

ToLEDo G4

ToLEDo G4 300lm 827 SL

0028244



Product features

- LED retrofit replacement for halogen low voltage capsules
- Compact design
- Omni-directional light distribution
- 12V AC/DC
- 300lm = 28W halogen G4 lamp
- High lumen efficacy: 125lm/W
- 91% energy saving
- A++ energy rating
- Non-dimmable
- Suitable for chandeliers, interior display, shop windows, decorative and general lighting applications



PRODUCT OVERVIEW

Product name	ToLEDo G4 300lm 827 SL
Technology	LED
Watt (Rated) (W)	2.4
Cap/Base	G4
Fixture rating	Open
General application	Hospitality, Museums & Galleries, Residential & Consumer, Retail
ETIM Class	EC001959
E-number FI	4740761
Warranty	3 years
Luminous flux (lm)	300
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	300
Wattage (W)	2.4
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288282442

DATA TABLE

General data

Product name	ToLEDo G4 300lm 827 SL
Technology	LED
Watt (Rated) (W)	2.4
Cap/Base	G4
Fixture rating	Open
General application	Hospitality, Museums & Galleries, Residential & Consumer, Retail
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959
E-number FI	4740761

ToLEDo G4

ToLEDo G4 300lm 827 SL

0028244

Warranty 3 years

Optical data

Luminous flux (lm)	300
Luminous flux (Rated) (lm)	300
Colour temperature (K)	2700
Light colour	Homelight
CRI (Ra)	80
Beam Angle (°)	300

Electrical data

Wattage (W)	2.4
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Lamp power factor	0.5
No. Of switching cycles before premature failures	>50000
Dimmable	No
Nominal Frequency (Hz)	50/60/HF

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	44
Nominal Product Diameter (mm)	13
Weight (kg)	0.045

Packaging

Single packaging type	Carton
Product EAN number	5410288282442
Packaging single length / height (cm)	6.7
Packaging single width (cm)	2.8
Packaging single depth (cm)	2.8
DUN14 (inner)	25410288282446
Units per inner package	10
Packaging inner length / height (cm)	7.7
Packaging inner width (cm)	6.5
Packaging inner depth (cm)	15.5
DUN14 (outer)	15410288282449
Units per outer package	100
Packaging outer length / height (cm)	18.0
Packaging outer width (cm)	35.0
Packaging outer depth (cm)	17.0

Safety data

Breakage cleaning instructions	Not applicable
--------------------------------	----------------

ToLEDo G4

ToLEDo G4 300lm 827 SL

0028244

Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Suitable for approved transf./dimmers
Safety message	Not Suitable for totally enclosed fixtures