



Features

- Energy efficient and affordable LED T8 solution to replace conventional fluorescent T8 lamps
- Omnidirectional 320° uniform light distribution thanks to glass tube construction design, same as traditional fluorescent T8 tubes
- High lumen package - 2000lm
- High lumen efficacy - 100 lm/W
- Energy rating - A+
- Switching cycles - 200,000X
- Average life 40,000 hours lifespan (L70 F50)
- Wide beam angle - 220°
- High power factor - 0.90
- Suitable for general illumination in offices, supermarkets, department stores, train stations, petrol stations, parking lots and maintenance free applications
- Suitable for operation with electromagnetic gears and direct mains operation (220-240V)
- 3-Year warranty.

Product Overview

Product name	TOLEDO T8 V5 4FT 20W 2000LM 865
Technology	LED
Watt (Rated) (W)	20
Cap/Base	G13
E-number FI	4740735
Colour temperature (K)	6500
CRI (Ra)	80
Wattage (W)	20
Product EAN number	5410288282794
Warranty	5 years

Data table

GENERAL DATA

Product name	TOLEDO T8 V5 4FT 20W 2000LM 865
Technology	LED
Watt (Rated) (W)	20

TOLEDO T8 V5 4FT 20W 2000LM 865 0028279

Cap/Base	G13
E-number FI	4740735
Warranty	5 years

OPTICAL DATA

Luminous flux (Rated) (lm)	2000
Colour temperature (K)	6500
CRI (Ra)	80
Lumen maintenance at end of nominal life (%)	70

ELECTRICAL DATA

Wattage (W)	20
Starting time (max) (s)	0.5
Lamp power factor	0.9
Control gear required	No
kWh per 1000 hours burning time	20

LIFETIME DATA

Average life (Rated) (h)	40000
--------------------------	-------

PHYSICAL DATA

Weight (kg)	0.208
-------------	-------

PACKAGING

Single packaging type	Carton
Product EAN number	5410288282794
Packaging single width (cm)	2.75
Packaging single depth (cm)	2.75
DUN14 (outer)	15410288282791
Packaging outer length / height (cm)	129.7

SAFETY DATA

TOLEDO T8 V5 4FT 20W 2000LM 865
0028279

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No
Safety message	Suitable for totally enclosed fixture