

## TARA Wall-mounted basin mixer without pop-up waste - Brushed Durabrass (23kt Gold)

TARA

36 712 892 Product version from 4/1/2024



- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|                                                                                     |                               |               |
|-------------------------------------------------------------------------------------|-------------------------------|---------------|
|    | Brushed Durabrass (23kt Gold) | 36 712 892-28 |
|    | Chrome                        | 36 712 892-00 |
|    | Brushed Platinum              | 36 712 892-06 |
|    | Platinum                      | 36 712 892-08 |
|    | Dark Chrome                   | 36 712 892-19 |
|    | Matte Black                   | 36 712 892-33 |
|    | Brushed Gold (PVD)            | 36 712 892-37 |
|    | Brushed Dark Brass (PVD)      | 36 712 892-39 |
|    | Brushed Bronze (PVD)          | 36 712 892-42 |
|   | Brushed Dark Bronze (PVD)     | 36 712 892-43 |
|  | Brushed Champagne (22kt Gold) | 36 712 892-46 |
|  | Champagne (22kt Gold)         | 36 712 892-47 |
|  | Brushed Chrome                | 36 712 892-93 |
|  | Brushed Dark Platinum         | 36 712 892-99 |

### Required miscellaneous



- Concealed wall-mounted mixer variable positioning -** 35 720 970 90
- min. recess depth 85 mm
  - max. recess depth 145 mm

### Required miscellaneous




- Concealed wall-mounted mixer centred spout -** 35 700 970 90
- min. recess depth 85 mm
  - max. recess depth 145 mm


## TARA Wall-mounted basin mixer without pop-up waste - Brushed Durabronz (23kt Gold)

TARA

36 712 892 Product version from 4/1/2024  
mm [inches]



### Flow rate chart



### Codes & Standards

|                             |           |            |                        |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109                    | EN 200    | ISO 3822   | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen | XP P 41-280            |




TARA Wall-mounted basin mixer without pop-up waste - Brushed Durabrass  
(23kt Gold)

TARA

36 712 892    Product version from 4/1/2024

Certificates and sustainability

|        |           |        |               |                                                                    |
|--------|-----------|--------|---------------|--------------------------------------------------------------------|
| LGA_18 | WRAS_2107 | ETA_19 | ACS_20 ACC LY | EPD-DOR-20230287<br>-IBA1-EN<br>Environmental.prod<br>uct-declarat |
|--------|-----------|--------|---------------|--------------------------------------------------------------------|



## Spare parts list

| No.                                                                    | Item Number        | Name                                                                | Quantity used | Delivery time |
|------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------|---------------|---------------|
| 4                                                                      | 90 14 10 026 00 90 | O-Ring 20,5 x 3,5 mm -                                              | 1.00          | 14            |
| 6                                                                      | 04 28 22 090 10-28 | Spout 190 mm - Brushed Durabronss (23kt Gold)                       | 1.00          | 40            |
| 3                                                                      | 09 24 03 081 10 90 | Extension 1/2" x 50 mm -                                            | 1.00          | 14            |
| 7                                                                      | 90 23 01 019 00-28 | Aerator M18x1-IG 7,0 l/min. - Brushed Durabronss (23kt Gold)        | 1.00          | 40            |
| 2                                                                      | 36 310 892-28      | TARA Wall valve - Brushed Durabronss (23kt Gold)                    | 2.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |                    |                                                                     |               |               |
| 5                                                                      | 09 27 22 503-28    | Rosette DB logo Ø 55 x Ø 22 x 9 mm - Brushed Durabronss (23kt Gold) | 1.00          | 40            |
| 1                                                                      | 90 90 03 157 00 90 | Head part clockwise closing 1/2" -                                  | 2.00          | 14            |