



Features

- Indulge in the allure of a vintage-inspired LED filament lamp, with gold-tinted glass construction and sleek spiral design for timeless charm and eco-friendly illumination. Creates a warm and inviting ambiance and adds a touch of classic elegance to your home. Works effortlessly with SylSmart Home App, SylRemote, Amazon Alexa, Google Assistant and Siri Shortcuts for seamless control and convenience. Set the brightness level from 1% to 100% with wireless dimming feature for the ideal lighting experience.


Product Overview

Product name	ToLEDo Vintage GLS 550LM 820 SST
Technology	LED
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Other
Fixture rating	Open
General application	Hospitality, Residential & Consumer, Retail
ETIM Class	EC001959
E-number FI	4741196
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1
Wattage (W)	7.5
Power consumption (W)	7.5
Dimmable	Yes
IP rating	IP20

ToLEDo Vintage GLS 550LM 820 SST 0030108

Product EAN number	5410288301082
Warranty	3 years
Useful luminous flux (#use)	550

Technical drawings



Data table

GENERAL DATA

Product name	ToLEDo Vintage GLS 550LM 820 SST
Technology	LED
Lamp shape	Pear-shape
Cap/Base	E27
Lamp finish	Other
Fixture rating	Open
General application	Hospitality, Residential & Consumer, Retail
Operating temperature range (°C)	-20°C...+40°C
ETIM Class	EC001959
E-number FI	4741196
Warranty	3 years

OPTICAL DATA

ToLEDo Vintage GLS 550LM 820 SST 0030108

Useful luminous flux (#use)	550
Correlated colour temperature (k)	2000
Light colour	Candlelight
CRI (Ra)	80
Colour Variation Initial (SDCM)	6
Photobiological Risk Group	RG1

ELECTRICAL DATA

Power consumption (W)	7.5
Wattage (W)	7.5
Equivalent watt (W)	40
Current (A)	0.055
Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Dimmable	Yes
Inrush Current (A)	2.9
Inrush Duration (μ s)	730
Lamp Energy Label (class)	G
Nominal Frequency (Hz)	50/60Hz

LIFETIME DATA

Lifespan L70 B50	15000
------------------	-------

PHYSICAL DATA

IP rating	IP20
Nominal Product Length (mm)	108
Nominal Product Diameter (mm)	60
Weight (kg)	0.036

PACKAGING

Product EAN number	5410288301082
Packaging single length / height (cm)	6.6

ToLEDo Vintage GLS 550LM 820 SST 0030108

Packaging single width (cm)	6.6
Packaging single depth (cm)	12.0
DUN14 (inner)	15410288301089
Units per outer package	6
Packaging outer length / height (cm)	20.6
Packaging outer width (cm)	13.9
Packaging outer depth (cm)	13.0

SAFETY DATA

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures


SYLVANIA

ToLEDo Vintage GLS 550LM 820 SST
0030108

Energy label



0030108




8
kWh/1000h



2019/2015



0030108



8
kWh/1000h



2019/2015

Light your world