

## Data Sheet | Item Number: 249-140

Test plug module; without locking device; modular; for 4-conductor terminal blocks;  
gray

<https://www.wago.com/249-140>



Color: ■ gray

### Electrical data

#### Ratings per IEC/EN

Nominal voltage (III/3)	800 V
-------------------------	-------

#### Ratings per IEC/EN – Notes

Ratings (note)	Maximum test voltage (touch contact): 48 V (test pins are not touch-proof)
----------------	--

#### Ratings per IEC/EN 2

Ratings (note)	Maximum test current (touch contact): 0.5 A Maximum test current: 6 A (if the test pins are securely connected in the clamping units)
----------------	--

#### General information

Test voltage	800 V
Test current	0.5 A

### Physical data

Width	12 mm / 0.472 inches
Height	12 mm / 0.472 inches
Depth	25.1 mm / 0.988 inches
Module width	12 mm / 0.472 inches

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	gray
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.033 MJ
Weight	1.6 g

### Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821868934
Customs tariff number	85366990990

### Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 9.0	EC002555
ETIM 10.0	EC002555
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	84a5f697-efaf-49c1-9d61-432760906ca3
SCIP notification number (Belgium)	d470fdff-94a1-43af-a6b3-91c5262a6330
SCIP notification number (Bulgaria)	6a5e78f4-af0f-42d9-878f-6f0adc1a1c7a
SCIP notification number (Czech Republic)	3713d9a2-1371-4751-aecc-318ea7d7386d
SCIP notification number (Denmark)	3a8d30b1-70a5-4d04-9ff8-d4bf85786d52
SCIP notification number (Finland)	8a6e9f7f-db1f-4348-9980-26d7dd77c402
SCIP notification number (France)	db293802-6941-4910-8fde-d6ca0dd8f279
SCIP notification number (Germany)	f954783c-7fed-4baf-b400-e249637268e1
SCIP notification number (Hungary)	1c292f1e-b02a-4848-8221-98866cf3e465
SCIP notification number (Italy)	112429a7-d324-459f-8a20-6e00ed4c66bc
SCIP notification number (Netherlands)	3c261ae8-5d81-4276-9ad7-86134523ad51
SCIP notification number (Poland)	60c1cbef-8bfa-451b-8c2b-97274ea20ad0
SCIP notification number (Romania)	2b70f233-a850-4631-ba6d-f28470f93110
SCIP notification number (Sweden)	1bba7304-2ff8-4caa-974b-afed7e8be5d0

### Downloads

#### Environmental Product Compliance



##### Compliance Search

Environmental Product  
Compliance 249-140



## Documentation

### Bid Text

249-140	19.02.2019	xml 3.14 KB	
249-140	18.08.2017	doc 24.00 KB	

## CAD/CAE-Data

### CAD data

2D/3D Models 249-140



### CAE data

WSCAD Universe  
249-140

## 1 Compatible Products

### 1.1 Optional Accessories

#### 1.1.1 Test and measurement

##### 1.1.1.1 Testing accessories




#### Item No.: 210-136

Test plug; 2 mm Ø; with 500 mm cable; red

## Installation Notes

### Installation



Snapping individual modules together to assemble a multi-pole test plug module.