

Data Sheet | Item Number: 249-139

Test plug module; without locking device; modular; for 4-conductor terminal blocks;
gray

<https://www.wago.com/249-139>



Color: ■ gray

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3) 800 V

Ratings per IEC/EN – Notes

Ratings (note) Maximum test voltage (touch contact): 48 V (test pins are not touch-proof)

Ratings per IEC/EN 2

Ratings (note) Maximum test current (touch contact): 0.5 A
Maximum test current: 6 A (if the test pins are securely connected in the clamping units)

General information

Test voltage 800 V
Test current 0.5 A

Physical data

Width 10 mm / 0.394 inches
Height 12 mm / 0.472 inches
Depth 25.1 mm / 0.988 inches
Module width 10 mm / 0.394 inches

Material data

Note (material data) [Information on material specifications can be found here](#)
Color gray
Insulation material (main housing) Polyamide (PA66)
Flammability class per UL94 V0
Fire load 0.027 MJ
Weight 1.5 g



Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454335960
Customs tariff number	85366990990

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-48
eCl@ss 9.0	27-14-11-48
ETIM 9.0	EC002555
ETIM 10.0	EC002555
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	e344ccd3-3b82-4182-9859-48f9560d68c2
SCIP notification number (Belgium)	9c999cd6-8d7e-4d14-87c5-2eb6e7609924
SCIP notification number (Bulgaria)	46fc2ab1-fe24-4509-b05d-5576e7b253ab
SCIP notification number (Czech Republic)	56f6c7d3-aac1-4411-bbfb-80eee98deb8e
SCIP notification number (Denmark)	94b59f70-9758-481b-9c82-3180ab8287e4
SCIP notification number (Finland)	f55b3944-7bb3-47e6-abd2-b43d34df49c5
SCIP notification number (France)	72afdd39-959e-4557-a6cd-32857601fdd2
SCIP notification number (Germany)	2792d38e-8c76-48e4-8499-3da3213549ca
SCIP notification number (Hungary)	81e05cb6-030b-45b2-b247-24bb97be0ff4
SCIP notification number (Italy)	2e7bd608-6b29-49a5-96d2-d0babf74b76a
SCIP notification number (Netherlands)	aaf89fcb-c3a1-4f95-a13b-b2141cec1228
SCIP notification number (Poland)	c97acaac-316c-4123-b8ac-6805466eefff
SCIP notification number (Romania)	ea9227cc-27a4-4e0f-a5ad-ee52bfee576a
SCIP notification number (Sweden)	63cbe9e4-767b-4430-9402-49d2c4815acb

Downloads

Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 249-139	

Documentation

Bid Text			
249-139	19.02.2019	xml 3.14 KB	↓
249-139	18.08.2017	doc 24.00 KB	↓

CAD/CAE-Data

CAD data	
2D/3D Models 249-139	↓

CAE data	
WSCAD Universe 249-139	↓
ZUKEN Portal 249-139	↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Test and measurement


1.1.1.1 Testing accessories



Item No.: 210-136
Test plug; 2 mm Ø; with 500 mm cable; red

Installation Notes

Installation



Snapping individual modules together to assemble a multi-pole test plug module.