

Features




- Blacklight BL368 Linear T12

Product Overview

Product name	F20W T12 BL368 24
Technology	Special applications
Cap/Base	G13
Fixture rating	Enclosed
E-number FI	4940433
Wattage (W)	20.00
Product EAN number	5410288003610

F20W T12 BL368 24
0000361

Technical drawings



Data table

GENERAL DATA

Product name	F20W T12 BL368 24
Technology	Special applications

F20W T12 BL368 24 0000361

Cap/Base	G13
Fixture rating	Enclosed
Operating temperature range (°C)	-20°C...+40°C
E-number FI	4940433

OPTICAL DATA

Ambient temperature for maximum luminous flux (°C)	25
Adjustable chromaticity	N

ELECTRICAL DATA

Wattage (W)	20.00
Current (A)	0.37
Primary Supply/Product voltage - min (V)	230
Control gear required	No

PHYSICAL DATA

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.133

PACKAGING

Single packaging type	Carton
Product EAN number	5410288003610
Packaging single width (cm)	4.3
Packaging single depth (cm)	4.1
DUN14 (outer)	15410288003617
Packaging outer length / height (cm)	63.0

SAFETY DATA

Lamp mercury content (mg)	9.00
Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not suitable for household