

**LULU xTOOL Concealed thermostat without volume control 1/2" - Brushed Platinum**

LULU

36 501 710 Product version up to 6/30/2020



- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS



Brushed Platinum

36 501 710-06



Chrome

36 501 710-00

**Required miscellaneous**

**xGRID Installation track 555 mm - 12 360 970 90**



**Recommended miscellaneous**

**xGRID Attachment set for integrating in the dry wall construction -**

12 340 970 90




**Required miscellaneous**

**xTOOL Concealed thermostat module without volume control - 35 503 970 90**




- min. recess depth 85 mm
- max. recess depth 110 mm

36 501 710 Product version up to 6/30/2020  
mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



LULU xTOOL Concealed thermostat without volume control 1/2" - Brushed  
Platinum

---

LULU

36 501 710 Product version up to 6/30/2020

Certificates and sustainability

---

WRAS\_2011

DVGW\_DW-  
6512DN0

LGA\_29

LGA\_29


LGA\_29

EPD-DOR-20230287

-IBA1-EN

Environmental.prod

uct-declarat



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	8	90 16 02 027 00 90	Spring Ø 4,5 x 7,5 mm -	1.00 14
	1	90 15 02 065 00 90	Thermostat cartridge with control unit Ø 44 x 147 mm -	1.00 14
	2	90 31 09 095 00 90	Rod -	1.00 14
	9	90 30 30 136 00 90	Bolt -	1.00 14
	3	09 11 02 329-06	xTOOL Rosette DB logo 120 x 120 x 9 mm - Brushed Platinum	1.00 20
	5	90 21 02 112 00-06	Sleeve - Brushed Platinum	1.00 20
	7	90 21 33 011 00-13	Repair kit for thermostat handle - black	1.00 14
	4	90 14 10 049 00 90	O-Ring 45,69 x 2,62 mm -	1.00 14
	6	90 17 33 004 00-06	Handle for thermostat Ø 46 x 48 mm - Brushed Platinum	1.00 -
	Spare part can no longer be ordered, please order the replacement item			
	90173302000-06	Handle for thermostat Ø 46 x 48 mm - Brushed Platinum		
	10	90 31 20 049 00-13	Plug - black	1.00 40