



Features


- IP65 box to guarantee the protection of the driver against water ingress. Can be used with any fixtures where the driver fits into the box. Supplied with additional grommets and end caps and 3 way connector.

Product Overview

Product name	IP65 empty box
Technology	Accessory
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002556
E-number FI	4278419
Housing colour	Grey
IP rating	IP65
IK rating	IK03
Product EAN number	5410288304489
Warranty	2 years

IP65 empty box
0030448

Technical drawings



Data table

GENERAL DATA

Product name	IP65 empty box
Technology	Accessory
Type of accessory	Other
General application	Education, Hospitality, Office, Retail
Operating temperature range (°C)	-20°C...+40°C
ETIM Class	EC002556
E-number FI	4278419
Warranty	2 years

ELECTRICAL DATA

Control gear required	No
-----------------------	----

PHYSICAL DATA

Housing colour	Grey
IP rating	IP65



IP65 empty box
0030448

IK rating	IK03
Nominal Product Length (mm)	250
Nominal Product Width (mm)	80
Nominal Product Height (mm)	72
Weight (kg)	0.336

PACKAGING

Product EAN number	5410288304489
Packaging single length / height (cm)	32.0
Packaging single width (cm)	9.0
Packaging single depth (cm)	8.0
DUN14 (inner)	15410288304486
Units per outer package	20
Packaging outer length / height (cm)	47.0
Packaging outer width (cm)	33.5
Packaging outer depth (cm)	34.0

SAFETY DATA

Glow Wire Test (°C)	650
Optimal operating condition (°C)	-20-40
Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No