

Features


- OneTrack accessory, fix-point for surface mounting, DALI compatible, 3 circuit track + 2 circuit control, 250V 10A 120V 1200W 1A -50Vac FELV. Polycarbonate body, copper alloy contacts. Max load: 50N. Black.

Product Overview

Product name	ONETRACK SURFACE FIX-POINT BLACK 9000/BPU-D-B
Technology	Accessory
Mount	Ceiling surface mounting, Wall surface mounted
General application	Museums & Galleries, Office
ETIM Class	EC002556
Housing colour	Black
Product EAN number	4012289007522
Warranty	5 years

ONETRACK SURFACE FIX-POINT BLACK 9000/BPU-D-B 9200752

Technical drawings



Data table

GENERAL DATA

Product name	ONETRACK SURFACE FIX-POINT BLACK 9000/ BPU-D-B
Technology	Accessory
Accessory type	Mounting, Electrical
Type of accessory	Monopoint
Mount	Ceiling surface mounting, Wall surface mounted
General application	Museums & Galleries, Office
ETIM Class	EC002556
Warranty	5 years

ONETRACK SURFACE FIX-POINT BLACK 9000/BPU-D-B 9200752

ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm ²)	2.5

PHYSICAL DATA

Housing colour	Black
Nominal Product Height (mm)	37.6
Nominal Product Diameter (mm)	118
Weight (kg)	0.21

PACKAGING

Product EAN number	4012289007522
Packaging single length / height (cm)	12.2
Packaging single width (cm)	12.2
Packaging single depth (cm)	4.5
Units per outer package	200
Packaging outer length / height (cm)	40.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	22.5

SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No