

### Features


- OneTrack accessory, fix-point for surface mounting, DALI compatible, 3 circuit track + 2 circuit control, 250V 10A 120V 1200W 1A -50Vac FELV. Polycarbonate body, copper alloy contacts. Max load: 50N. White.

### Product Overview

<b>Product name</b>	ONETRACK SURFACE FIX-POINT WHITE 9000/BPU-D-W
<b>Technology</b>	Accessory
<b>Mount</b>	Ceiling surface mounting, Wall surface mounted
<b>General application</b>	Museums & Galleries, Office
<b>ETIM Class</b>	EC002556
<b>Housing colour</b>	White
<b>Product EAN number</b>	4012289007515
<b>Warranty</b>	5 years

## ONETRACK SURFACE FIX-POINT WHITE 9000/BPU-D-W 9200751

### Technical drawings



### Data table

#### GENERAL DATA

<b>Product name</b>	ONETRACK SURFACE FIX-POINT WHITE 9000/ BPU-D-W
<b>Technology</b>	Accessory
<b>Accessory type</b>	Mounting, Electrical
<b>Type of accessory</b>	Monopoint
<b>Mount</b>	Ceiling surface mounting, Wall surface mounted
<b>General application</b>	Museums & Galleries, Office
<b>ETIM Class</b>	EC002556
<b>Warranty</b>	5 years

## ONETRACK SURFACE FIX-POINT WHITE 9000/BPU-D-W 9200751

### ELECTRICAL DATA

Primary Supply/Product voltage - min (V)	220
Primary Supply/Product voltage - max (V)	240
Control gear required	No
Connectable conductor cross section - Max (mm <sup>2</sup> )	2.5

### PHYSICAL DATA

Housing colour	White
Nominal Product Height (mm)	37.6
Nominal Product Diameter (mm)	118
Weight (kg)	0.21

### PACKAGING

Product EAN number	4012289007515
Packaging single length / height (cm)	12.2
Packaging single width (cm)	12.2
Packaging single depth (cm)	4.5
Units per outer package	200
Packaging outer length / height (cm)	40.5
Packaging outer width (cm)	30.5
Packaging outer depth (cm)	22.5

### SAFETY DATA

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No