

Doc. no. 1SAA981003-2402
 Rev. ind.
 Date 2007-08-17
 From Guenther Steinleitner
 Dept. DESTO/QM
 Phone +49 6221 701-1221
 Fax +49 6221 701-1358
 E-mail guenther.steinleitner@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	Monitoring Relays C558.xx Monitoring Relays C51x.xx-x Monitoring Relays CM-xxE Monitoring Relays CM-xxN Monitoring Relays CM-xxS Accessories monitoring relays CM Current transformers CM-CT Accessory CM-CT-A
ABB Identity number	1SAR 47x xxx Rxxxx 1SAR 700 xxx Rxxxx 1SVR 550 xxx Rxxxx 1SVR 430 xxx Rxxxx 1SVR 440 xxx Rxxxx 1SVR 450 xxx Rxxxx 1SVR 366 xxx Rxxxx 1SVR 402 xxx Rxxxx
Information provided by <i>(Name and e-mail address)</i>	Guenther Steinleitner Guenther.Steinleitner@de.abb.com
Business area	Automation Products – AP
Date	March 2007

1 Related documents

Industrial ^{IT} Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial ^{IT} Certification Guideline, 3BSE024526

Industrial ^{IT} Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

[http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library](http://inside.abb.com/The%20Insider/Featured%20Portals/Industrial%20IT%20Deployment/06%20Product%20Certification/Document%20Library)

2 Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit <i>Optional ⁽¹⁾</i>
Lead	Batteries, cables		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		✓	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

(1) Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:

- ✓ < 1 dm² CM-xxS; CM-xxE; C558.xx, C51x.xx-x
- ✓ 1-10 dm² CM-xxN
- > 10 dm²
- No printed circuit boards used in the product

Doc. no. 1SAA981003-2402

Rev. ind.

Date 2007-08-17

2.2 Recycling information

Is recycling information for the product available?

- Yes Ref. Document:.....
- No

If No, please specify, in the table below, the component/part/physical position where the material is present:

Material	Component/part/physical position
Lead	
Cadmium	
Mercury	
Beryllium	
Brominated flame retardants	
HCFCs	
SF6, sulphurhexafluoride	
Polyvinyl chloride, PVC	

2.3 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

- Yes Ref. Document: Product data sheet
- No
- Not relevant