# Data Sheet | Item Number: 267-232

Snap-on type female connector; without ground contact; 2-pole; 1,00 mm²; gray/white

https://www.wago.com/267-232

Color: ☐ white/gray

Similar to illustration

Dimensions in mm

Female connector, 267 Series, white/gray

This female connector (item number 267-232) simplifies electrical installations. Ensure that the strip lengths are 8 mm when connecting conductors to this female connector. This female connector is suitable for conductor cross sections ranging from 0.5 mm² to 1 mm².

Tin is used for coating the contact surfaces.

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	500 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	6 A	-

Connection Data

Number of connection types	1

Connection 1

Solid conductor	0.5 … 1 mm²
Strip length	8 mm / 0.31 inches
Pole number	2

Material data

Note (material data)	Information on material specifications can be found here
Color	white/gray
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Clamping spring material	Chrome-nickel spring steel (CrNi)
Contact material	Electrolytic copper (E_{Cu})
Contact Plating	Tin
Fire load	0.119 MJ
Weight	5.4 g

Environmental requirements

Processing temperature	-35 … +85 ℃
Continuous operating temperature	-60 … +105 ℃
Temperature stability	105 ℃

Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
PU (SPU)	500 pcs
Packaging type	Bag
Country of origin	PL
GTIN	4045454272388
Customs tariff number	85366990990

Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 9.0	EC002560
ETIM 10.0	EC002560
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Approvals / Certificates

General approvals

Approval	Standard	Certificate Name
UL UL International Germany GmbH	UL 1977	E45171
VDE VDE Prüf- und Zertifizierungsinstitut	EN 61984	40032309

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 267-232	↓

Documentation

Additional Information

Technical Section	03.04.2019	pdf 2027.26 KB	↓

CAD/CAE-Data

CAD data		CAE data	
2D/3D Models 267-232	↓	ZUKEN Portal 267-232	↓

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at:: www.wago.com