


# Data Sheet | Item Number: 267-520

Male connector with connect. for ground; without ground contact; 4-pole; yellow

<https://www.wago.com/267-520>



Color: ■ yellow

Similar to illustration

Dimensions in mm

Male connector, 267 Series, yellow

Our male connector (item number 267-520) simplifies electrical installations.

Tin is used for coating the contact surfaces.

## Electrical data

Ratings per	IEC/EN 61984		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	500 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	16 A	-

## Connection Data

Number of connection types	1
----------------------------	---

Connection 1	
Pole number	4

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	yellow
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V0
Clamping spring material	Chrome-nickel spring steel (CrNi)
Contact material	Electrolytic copper (E <sub>Cu</sub> )
Contact Plating	Tin
Fire load	0.273 MJ
Weight	14.9 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C
Temperature stability	105 °C

### Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
PU (SPU)	50 pcs
Packaging type	Box
Country of origin	PL
GTIN	4045454498986
Customs tariff number	85366990990

### Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 9.0	EC002560
ETIM 10.0	EC002560
ECCN	NO US CLASSIFICATION

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Approvals / Certificates

#### General approvals



Approval	Standard	Certificate Name
CCA DEKRA Certification B.V.	EN 61984	2156138.01
CCA DEKRA Certification B.V.	IEC 61984	NL-47713
UL UL International Germany GmbH	UL 1977	E45171
VDE VDE Prüf- und Zertifizie- rungsinstitut	EN 61984	40032309

### Downloads

#### Environmental Product Compliance

##### Compliance Search

Environmental Product  
Compliance 267-520



### Documentation

#### Additional Information

Technical Section

03.04.2019

pdf

2027.26 KB



### CAD/CAE-Data

#### CAD data

2D/3D Models 267-520



#### CAE data

ZUKEN Portal 267-520

