

### ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W 9200770





### **Features**

• OneTrack accessory, bracket for fixing the track to the T-bar, in painted steel. Recommended distance between clamps: 750 mm. Fmax clamp: 50N. Please verify the Fmax of the T-bar declared by manufacturer. White.


### **Product Overview**


Product name	ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W
Technology	Accessory
Housing	Steel
Mount	Suspended
General application	Museums & Galleries, Office
ETIM Class	EC002557
Housing colour	White
Product EAN number	4012289007706
Warranty	5 years



# ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W 9200770

### **Technical drawings**





### **Data table**

GEN	NERAL	DATA
$\sim$ $\sim$ $\sim$	1611776	

Product name	ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W
Technology	Accessory
Accessory type	Mounting
Type of accessory	Fixing clamp / bracket
Housing	Steel
Mount	Suspended
General application	Museums & Galleries, Office
ETIM Class	EC002557
Warranty	5 years



# ONETRACK FAST T-BAR BRACKET WHITE S-9000/119-TB-W 9200770

### **ELECTRICAL DATA**

Control gear required No

### **PHYSICAL DATA**

Housing colour	White
Nominal Product Length (mm)	48.8
Nominal Product Width (mm)	33.4
Nominal Product Height (mm)	16.6
Weight (kg)	0.016

#### **PACKAGING**

Product EAN number	4012289007706
Packaging single length / height (cm)	8.0
Packaging single width (cm)	4.2
Packaging single depth (cm)	5.4
Units per outer package	1
Packaging outer length / height (cm)	8.0
Packaging outer width (cm)	4.2
Packaging outer depth (cm)	5.4

#### **SAFETY DATA**

Special purpose lamp	No
Dry applications use only	No
Suitable for household illumination	No

Page 3 of 3