



### Features


- Adapting ring is suitable for the fixture of 150mm cut out. When put together, it can be used in a new cut out of 175mm. Outer ring of 200mm dia. RAL9010.

### Product Overview

Product name	Adapting Ring RAL9010 150/175/200
Technology	Accessory
Mount	Ceiling recessed mounting
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002557
E-number FI	4278412
Housing colour	RAL9010
IP rating	IP20
IK rating	IK02
Product EAN number	5410288304618
Warranty	3 years

## Adapting Ring RAL9010 150/175/200 0030461

### Technical drawings



### Data table

#### GENERAL DATA

Product name	Adapting Ring RAL9010 150/175/200
Technology	Accessory
Type of accessory	Other
Mount	Ceiling recessed mounting
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002557
E-number FI	4278412
Warranty	3 years

#### ELECTRICAL DATA

Control gear required	No
-----------------------	----

#### PHYSICAL DATA

Housing colour	RAL9010
IP rating	IP20

## Adapting Ring RAL9010 150/175/200 0030461

---

<b>IK rating</b>	IK02
<b>Weight (kg)</b>	0.235

### PACKAGING

---

<b>Product EAN number</b>	5410288304618
<b>Packaging single length / height (cm)</b>	21.0
<b>Packaging single width (cm)</b>	4.5
<b>Packaging single depth (cm)</b>	20.6
<b>DUN14 (inner)</b>	15410288304615
<b>Units per outer package</b>	40
<b>Packaging outer length / height (cm)</b>	47.0
<b>Packaging outer width (cm)</b>	43.5
<b>Packaging outer depth (cm)</b>	43.0

### SAFETY DATA

---

<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No