



### Features


- Adapting ring is suitable for the fixture of 90mm cut out. When put together, it can be used in a new cut out of 120mm. Outer ring of 145mm dia. RAL9010.

### Product Overview

Product name	Adapting Ring RAL9010 90/120/145
Technology	Accessory
Mount	Ceiling recessed mounting
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002557
E-number FI	4278411
Housing colour	RAL9010
IP rating	IP20
IK rating	IK02
Product EAN number	5410288304601
Warranty	3 years

## Adapting Ring RAL9010 90/120/145 0030460

### Technical drawings



### Data table

#### GENERAL DATA

Product name	Adapting Ring RAL9010 90/120/145
Technology	Accessory
Type of accessory	Other
Mount	Ceiling recessed mounting
General application	Education, Hospitality, Office, Retail
ETIM Class	EC002557
E-number FI	4278411
Warranty	3 years

#### ELECTRICAL DATA

Control gear required	No
-----------------------	----

#### PHYSICAL DATA

Housing colour	RAL9010
IP rating	IP20

## Adapting Ring RAL9010 90/120/145 0030460

<b>IK rating</b>	IK02
<b>Weight (kg)</b>	0.18

### PACKAGING

<b>Product EAN number</b>	5410288304601
<b>Packaging single length / height (cm)</b>	15.5
<b>Packaging single width (cm)</b>	4.5
<b>Packaging single depth (cm)</b>	15.5
<b>DUN14 (inner)</b>	15410288304608
<b>Units per outer package</b>	40
<b>Packaging outer length / height (cm)</b>	47.0
<b>Packaging outer width (cm)</b>	32.5
<b>Packaging outer depth (cm)</b>	32.5

### SAFETY DATA

<b>Special purpose lamp</b>	No
<b>Dry applications use only</b>	No
<b>Suitable for household illumination</b>	No