


## Data Sheet | Item Number: 267-140

Conductor support, cover; without ground contact; 5-pole; 2,50 mm<sup>2</sup>; white


<https://www.wago.com/267-140>



Color: ■ white

Similar to illustration

Dimensions in mm



Dimensions in mm

Conductor support, 267 Series, white

Conductor support (item number 267-140) simplifies electrical installations. Conductors can only be connected to conductor support if their strip length is between 16 and 18 mm. Depending on the type of conductor, conductor support is suitable for conductor cross sections ranging from 0.5 mm<sup>2</sup> to 1 mm<sup>2</sup>.

The contact surface is coated with tin.

### Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	500 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	-	-

### Connection Data

Number of connection types	1	<b>Connection 1</b>	
		Solid conductor	0.5 ... 1 mm <sup>2</sup>
		Strip length	16 ... 18 mm / 0.63 ... 0.71 inches
		Pole number	5

### Physical data

Width	30 mm / 1.181 inches
Height from the surface	14 mm / 0.551 inches
Depth	32 mm / 1.26 inches

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	white
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V2
Clamping spring material	Chrome-nickel spring steel (CrNi)
Contact material	Electrolytic copper (E <sub>Cu</sub> )
Contact Plating	Tin
Fire load	0.102 MJ
Weight	3.6 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C
Temperature stability	105 °C

### Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
PU (SPU)	500 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4017332145039
Customs tariff number	85369010000

### Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 9.0	EC002560
ETIM 10.0	EC002560
ECCN	NO US CLASSIFICATION

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates**

**General approvals**



Approval	Standard	Certificate Name
UL UL International Germany GmbH	UL 1977	E45171
VDE VDE Prüf- und Zertifizierungsinstitut	EN 61984	40032309

**Downloads**

**Environmental Product Compliance**

Compliance Search
Environmental Product Compliance 267-140

**Documentation**

Additional Information			
Technical Section	03.04.2019	pdf 2027.26 KB	

**CAD/CAE-Data**

CAD data
2D/3D Models 267-140

CAE data
EPLAN Data Portal 267-140
ZUKEN Portal 267-140

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: [www.wago.com](http://www.wago.com)