


Data Sheet | Item Number: 267-141

Conductor support, base; without ground contact; 5-pole; 2,50 mm²; white


<https://www.wago.com/267-141>



Color: ■ white

Similar to illustration

Dimensions in mm



Dimensions in mm

Conductor support, 267 Series, white

Convenient electrical installations are guaranteed with conductor support (item number 267-141). Conductors should only be connected to conductor support if their strip length is between 16 and 18 mm. Depending on the type of conductor, conductor support is designed for conductor cross sections ranging from 0.5 mm² to 1 mm².

The contact surface is coated with tin.

Electrical data

Ratings per	IEC/EN 60664-1		
Overvoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	500 V	-
Rated impulse withstand voltage	-	4 kV	-
Rated current	-	-	-

Connection Data

Number of connection types	1	Connection 1	
		Solid conductor	0.5 ... 1 mm ²
		Strip length	16 ... 18 mm / 0.63 ... 0.71 inches
		Pole number	5

Physical data

Width	30 mm / 1.181 inches
Height from the surface	11.8 mm / 0.465 inches
Depth	32 mm / 1.26 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	white
Material group	I
Insulation material (main housing)	Polyamide (PA66)
Flammability class per UL94	V2
Clamping spring material	Chrome-nickel spring steel (CrNi)
Contact material	Electrolytic copper (E _{Cu})
Contact Plating	Tin
Fire load	0.132 MJ
Weight	4.4 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C
Temperature stability	105 °C

Commercial data

Product Group	8 (Misc. Chassis Mount Blocks)
PU (SPU)	500 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4017332145046
Customs tariff number	39269097900

Product Classification

UNSPSC	39121409
eCl@ss 10.0	27-44-03-14
eCl@ss 9.0	27-44-03-14
ETIM 9.0	EC002560
ETIM 10.0	EC002560
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
UL UL International Germany GmbH	UL 1977	E45171
VDE VDE Prüf- und Zertifizierungsinstitut	EN 61984	40032309

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 267-141

Documentation

Additional Information			
Technical Section	03.04.2019	pdf 2027.26 KB	

CAD/CAE-Data

CAD data
2D/3D Models 267-141

CAE data
EPLAN Data Portal 267-141
ZUKEN Portal 267-141

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com