



Color: ■ dark gray

Connection data

Connection 1

Strip length 9 ... 10 mm / 0.35 ... 0.39 inches

Material data

Note (material data)

[Information on material specifications can be found here](https://www.wago.com/us/material-specifications)

Color dark gray

Fire load 0.025 MJ

Weight 0.4 g

Commercial data

Product Group 1 (Rail Mounted Terminal Blocks)

eCl@ss 10.0 27-14-11-92

eCl@ss 9.0 27-14-11-92

ETIM 8.0 EC002848

ETIM 7.0 EC002848

PU (SPU) 200 (25) pcs

Packaging type Box

Country of origin DE

GTIN 4017332267359

Customs tariff number 39269097900

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Environmental Product Compliance

| | |
|--|-------------------|
| Compliance Search | |
| Environmental Product Compliance 281-472 | ↓ |

Documentation

| | | |
|------------------------|-------------------|-------------------|
| Additional Information | | |
| Technical Section | pdf 2240.62 KB | ↓ |

| | | | |
|----------|------------|-----------------|-------------------|
| Bid Text | | | |
| 281-472 | 19.02.2019 | xml 2.53 KB | ↓ |
| 281-472 | 28.04.2017 | doc 23.50 KB | ↓ |


CAD/CAE-Data

| | |
|----------------------|-------------------|
| CAD data | |
| 2D/3D Models 281-472 | ↓ |


| | |
|------------------------|-------------------|
| CAE data | |
| WSCAD Universe 281-472 | ↓ |
| ZUKEN Portal 281-472 | ↓ |

Installation Notes


Conductor termination



Insert stripped, untwisted conductor into insulation stop.



The conductor is bundled.



The conductor insulation is prevented from being pushed into the clamping unit by the positive stop.