Data Sheet | Item Number: 281-482

Jumper; 2-way; insulated; gray

https://www.wago.com/281-482

Color: gray

Physical data	
Width	12 mm / 0.472 inches
Height	5 mm / 0.197 inches
Jumper assignment	1-2

Material data	
Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.009 MJ
Weight	1.5 g

Commercial data	
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918523042
Customs tariff number	85366990990

 Continued on next page

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 281-482

Documentation

Additional Information

Technical Section	pdf 2240.62 KB	

Bid Text

281-482	19.02.2019	xml 2.54 KB	
281-482	28.04.2017	doc 23.50 KB	

CAD/CAE-Data

CAD data

2D/3D Models 281-482

CAE data

EPLAN Data Portal 281-482

WSCAD Universe 281-482

ZUKEN Portal 281-482

1 Compatible Products

1.1 Optional Accessories

1.1.1 Tool

1.1.1.1 Operating tool

Item No.: 280-432
Operating tool; made of insulating material; 2-way; white

 Continued on next page

Installation Notes

Commoning



Commoning using comb-style jumper bars.
Push comb-style jumper bars down until fully inserted.

Commoning

4-conductor through terminal blocks, angled type,
formation of groups with 3-way, comb-style jumper bars

Commoning



Carrier terminal blocks with component plugs,
alternate comb-style jumper bars,
3-way comb-style jumper bar

Commoning



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool