


Concord

MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ 2058901



Features

- MYRD IP FL 4K DALI BLK WBEZ



Product Overview

| | |
|---------------------------------|--|
| Product name | MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ |
| Technology | LED |
| Cap/Base | N/A |
| Housing | Aluminium |
| Mount | Ceiling recessed mounting |
| Environment | Interior |
| Fixture luminous flux (lm) | 977 |
| Luminaire efficacy (lm/W) | 98 |
| LOR (%) | 100 |
| Colour temperature (K) | 4000 |
| Light colour | Neutral White |
| CRI (Ra) | 90 |
| Colour Variation Initial (SDCM) | 3 |
| Photobiological Risk Group | RG1 |
| Total power consumption (W) | 10 |
| Electrical protection | Class II |
| Control gear type | Electronic ballast |
| Housing colour | Black |
| IP rating | IP65/20 |
| IK rating | IK02 |

Concord

MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ 2058901


Product EAN number

5025768589012


Warranty

5 years

Photometry



Technical drawings



Dimensions (mm)

Data table

Concord

MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ 2058901

GENERAL DATA

| | |
|---|--|
| Product name | MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ |
| Technology | LED |
| Cap/Base | N/A |
| Housing | Aluminium |
| Mount | Ceiling recessed mounting |
| Environment | Interior |
| Performance ambient temperature Tq (°C) | 25 |
| Warranty | 5 years |

OPTICAL DATA

| | |
|---------------------------------|---------------|
| Fixture luminous flux (lm) | 977 |
| Luminaire efficacy (lm/W) | 98 |
| LOR (%) | 100 |
| Colour temperature (K) | 4000 |
| Light colour | Neutral White |
| CRI (Ra) | 90 |
| Colour Variation Initial (SDCM) | 3 |
| Adjustable chromaticity | N |
| Photobiological Risk Group | RG1 |

ELECTRICAL DATA

| | |
|--|--------------------|
| Total power consumption (W) | 10 |
| Primary Supply/Product voltage - min (V) | 230 |
| Electrical protection | Class II |
| Control gear required | No |
| Control gear type | Electronic ballast |
| Drive current (mA) | 250 |
| Energy Efficiency Class (A->G) of contained light source | E |
| Nominal Frequency (Hz) | 50/60Hz |

Concord

MYRIAD DECO IP65 FLOOD 4000K DALI BLACK WBEZ 2058901

LIFETIME DATA

| | |
|------------------|--------|
| Lifespan L70 B50 | 100000 |
| Lifespan L80 B20 | 100000 |
| Lifespan L90 B10 | 68500 |

PHYSICAL DATA

| | |
|-------------------------------|-----------------|
| Housing colour | Black |
| IP rating | IP65/20 |
| IK rating | IK02 |
| Diffuser finish | Bezel (or Ring) |
| Nominal Product Diameter (mm) | 90 |
| Weight (kg) | 0.44 |
| Recessed Depth (mm) | 72 |

PACKAGING

| | |
|--------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5025768589012 |
| Packaging single width (cm) | 15.0 |
| Packaging single depth (cm) | 17.5 |
| DUN14 (outer) | 05025768589012 |
| Packaging outer length / height (cm) | 17.5 |

SAFETY DATA

| | |
|-------------------------------------|----|
| Special purpose lamp | No |
| Dry applications use only | No |
| Suitable for household illumination | No |