

26 413 979 Product version from 10/1/2023



- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- slide bar

technical data:


- gauge 853 mm
- rosettes Ø mm
- Pipe diameter 18 mm

Notes:


- This article does not include a hand shower!

This article does not include a hand shower!

Recommended miscellaneous

	Concealed wall elbow - • min. recess depth 90 mm • max. recess depth 163 mm	35 085 970 90
---	--	---------------

Required miscellaneous

	Hand shower FlowReduce 130 mm - Brushed Durabron (23kt Gold)	28 016 979-28 0010
---	---	--------------------

Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Durabron (23kt Gold)	28 029 979-28 0010
---	---	--------------------

Required miscellaneous

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Durabron (23kt Gold)	28 025 979-28 0010
---	---	--------------------

Required miscellaneous

	Hand shower 100 mm - Brushed Durabron (23kt Gold)	28 018 979-28 0010
---	--	--------------------


Required miscellaneous

	Hand shower 120 mm - Brushed Durabron (23kt Gold)	28 012 979-28 0010
---	--	--------------------


Recommended miscellaneous

	Wall elbow - Brushed Durabron (23kt Gold)	28 450 980-28 0010
---	--	--------------------


Required miscellaneous

	Hand shower - Brushed Durabron (23kt Gold)	28 017 979-28 0010
---	---	--------------------

Required miscellaneous

	Hand shower FlowReduce 100 mm - Brushed Durabron (23kt Gold)	28 018 979-28 0010
---	---	--------------------


Required miscellaneous

	Hand shower FlowReduce 120 mm - Brushed Durabron (23kt Gold) • 5 jets • Ø 120 mm	28 012 979-28 0010
---	---	--------------------


Required miscellaneous

	Hand shower 130 mm - Brushed Durabron (23kt Gold)	28 016 979-28 0010
---	--	--------------------

Required miscellaneous

	SERIES-VARIOUS Hand shower - Brushed Durabron (23kt Gold)	28 029 979-28 0010
---	--	--------------------

26 413 979 Product version from 10/1/2023



Codes & Standards

Scottish Water
Byelaws


UK Water Supply
Regulations

XP P 41-280

Certificates and sustainability

ACS_20 ACC LY

WRAS_2009



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
3	09 31 11 049 90	Mounting Threaded pin with hexagon socket with cup point M6 x 6 mm -	2.00	14
7	12 580 970-28	Slide unit - Brushed Durabron (23kt Gold)	1.00	40
4	04 31 11 113 00 90	Mounting Threaded pin M5 x 12 mm -	2.00	14
5	08 17 97 054-28	Holder 64,5 x 60,5 x 18,5 mm - Brushed Durabron (23kt Gold)	2.00	40
8	28 322 970-28	Metal shower hose 1/2" x 3/8" x 1750 mm - Brushed Durabron (23kt Gold)	1.00	40
1	05 17 20 726 02 90	Attachment set -	2.00	14
6	90 28 22 597 00-28	holder	1.00	-
Spare part can no longer be ordered, please order the replacement item				
2	08 17 20 726 90	Holder Wall mounting Ø 13,5 x 20 mm -	2.00	14