


SYLPIPE LED PIPE L300 NW 0051366



PRODUCT OVERVIEW

Product name	LED PIPE L300 NW
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
E-number FI	4278211
Warranty	3 years
Fixture luminous flux (lm)	385
Luminaire efficacy (lm/W)	110
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0
Total power consumption (W)	3.5
Electrical protection	Class II
Control gear type	LED driver constant current
Housing colour	White
IP rating	IP20
IK rating	IK03
Product EAN number	5410288513669

DATA TABLE

General data

Product name	LED PIPE L300 NW
Technology	LED
Cap/Base	N/A
Housing	PC Polycarbonate
Operating temperature range (°C)	-20°C...+40°C
Performance ambient temperature Tq (°C)	25
E-number FI	4278211
Warranty	3 years

SYLPIPE LED PIPE L300 NW 0051366

Optical data

Fixture luminous flux (lm)	385
Luminaire efficacy (lm/W)	110
Colour temperature (K)	4000
Light colour	Neutral White
CRI (Ra)	80
Photobiological Risk Group	RG0

Electrical data

Total power consumption (W)	3.5
Lamp power factor	0.5
Electrical protection	Class II
Control gear type	LED driver constant current
Drive current (mA)	50
Inrush Current (A)	5
Inrush Duration (µs)	120
Glow Wire Test (°C)	650
Energy Efficiency Class (A->G) of contained light source	D
Nominal Frequency (Hz)	50/60Hz
Max. products per 10A C Breaker	266
Max. products per 20A B Breaker	320
Connectable conductor cross section - Max (mm²)	1.5

Lifetime data

Lifespan L70 B50	30000
------------------	-------

Physical data

Housing colour	White
IP rating	IP20
IK rating	IK03
Diffuser material	PC Polycarbonate
Nominal Product Length (mm)	300
Nominal Product Width (mm)	24
Weight (kg)	0.043

Packaging


Single packaging type	Carton
Product EAN number	5410288513669
Packaging single width (cm)	4.6
Packaging single depth (cm)	3.1
DUN14 (outer)	15410288513666
Packaging outer length / height (cm)	32.0

Safety data

Optimal operating condition (°C)	-20-40
----------------------------------	--------

SYLPIPE LED PIPE L300 NW 0051366

PHOTOMETRY



TECHNICAL DRAWINGS

