

Data Sheet | Item Number: 711-153

Transformer terminal block; 3-pole; CAGE CLAMP® connection for conductors; 4,00 mm²; gray

<https://www.wago.com/711-153>



Color: ■ gray

Similar to illustration

Electrical data

Ratings per	IEC/EN 60664-1		
Overtoltage category	III	III	II
Pollution degree	3	2	2
Nominal voltage	-	800 V	-
Rated surge voltage	-	8 kV	-
Rated current	-	25 A	-

Connection data

Connection points	3
Total number of potentials	3
Number of connection types	1

Connection 1

Connection technology	CAGE CLAMP®
Strip length	9 ... 10 mm / 0.35 ... 0.39 inches
Pole number	3

Physical data

Width	22.5 mm / 0.886 inches
Height	35 mm / 1.378 inches
Depth	23.5 mm / 0.925 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.299 MJ
Weight	10.8 g

Commercial data	
eCl@ss 10.0	27-14-11-10
eCl@ss 9.0	27-14-11-10
ETIM 8.0	EC000398
ETIM 7.0	EC000398
PU (SPU)	50 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918819565
Customs tariff number	85369010000

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

Approvals / Certificates

General approvals			Declarations of conformity and manufacturer's declarations		
Approval	Standard	Certificate Name	Approval	Standard	Certificate Name
CCA DEKRA Certification B.V.	EN 60998	NTR NL-7194	EU-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
CCA DEKRA Certification B.V.	EN 60998	2160584.54	UK-Declaration of Confor- mity WAGO GmbH & Co. KG	-	-
CSA DEKRA Certification B.V.	C22.2 No. 158	1101145			
UL UL International Germany GmbH	UL 1059	E45172			




Downloads

Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 711-153	↓

Documentation

Additional Information			
Technical Section	03.04.2019	pdf 2010.85 KB	↓

CAD/CAE-Data

CAD data	CAE data
2D/3D Models 711-153 	EPLAN Data Portal 711-153 
	WSCAD Universe 711-153 
	ZUKEN Portal 711-153 