

Circularity Profile

DIN Ethernet





Potential disassembly risks

⚠ WARNING


HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

- Only qualified workers should install this equipment. Such work should be performed only after reading this entire set of instructions.
- Do not install this product in hazardous or classified locations..
- Apply appropriate personal protective equipment (PPE) and follow safe electrical practices.
- Turn off all power supplying equipment before working on or inside the equipment.
- Always use a properly rated voltage sensing device to confirm that power is off.
- Beware of potential hazards, and carefully inspect the work area for tools and objects that may have been left inside the equipment.

Failure to follow these instructions will result in death or serious injury.



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	PCBA's including Capacitors, IC's, Resistors, Connectors etc.,	235.7	
To be dismantled	2	Enclosures with accessories	161.01	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	Metering Product :Voltage, Current, Power & Energy measurement, Power Quality measurement, Data Logging, Ethernet communication
Product reference	METSEEM3570AX
Additional similar product references	METSEEM3570AX METSEEM3570 METSEEM3570A METSEEM3570X METSEEM3570PS
Total representative product mass	416 g
Representative product dimensions	Meter Module : 91.4mm X 90mm X 70.6mm Power Supply Module : 91.4mm X 36mm X 67.6mm
Date of information release	03/2021



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	18%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2103001_V1

© 2019 - Schneider Electric – All rights reserved

03/2021