



## Product certificate K11292/29

Issued 2024-09-15

Replaces K11292/28

Page 1 of 7

### Thermostatic mixers

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Hansgrohe SE

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K610 "Thermostatic Mixing Valves" dated 01.02.2012,

which covers the requirements of

**EN 1111:2017** "Sanitary tapware; Thermostatic mixing valves (PN10)".

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

288171015

**Kiwa Nederland B.V.**  
Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[NL.Kiwa.info@Kiwa.com](mailto:NL.Kiwa.info@Kiwa.com)  
[www.kiwa.nl](http://www.kiwa.nl)

**Company**  
Hansgrohe SE  
Auestrasse 5-9  
77761 SCHILTACH  
Germany  
Tel. +49 7836510  
[info@hansgrohe-group.com](mailto:info@hansgrohe-group.com)  
[www.hansgrohegroup.com](http://www.hansgrohegroup.com)



Certification process  
consists of initial and  
regular assessment of:

- quality system
- product

## Thermostatic mixers

---

### Technical specification

The products mentioned below belong to this product certificate;

## Hansgrohe

### series ECOSTAT 1001 SL

13 241 xx0	thermostatic bath/ shower mixer
13 261 xx0	thermostatic shower mixer

### series ECOSTAT 1001 SL Care

13 282 xx0	thermostatic shower mixer
13 284 xx0	thermostatic bath/ shower mixer

### series ECOSTAT E

13 125 xx0	thermostatic shower mixer
13 145 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 700 xx0	Ecostat E
15 705 xx0	Ecostat E
15 707 xx0	Ecostat E
15 708 xx0	Ecostat E
15 710 xx0	Ecostat E
15 720 xx0	Ecostat E

### series ECOSTAT S

13 235 xx0	thermostatic shower mixer
13 245 xx0	thermostatic bath/shower mixer
01800180	i-Box Universal concealment set,
in combination with:	
15 701 xx0	Ecostat S
15 711 xx0	Ecostat S
15 715 xx0	Ecostat S
15 721 xx0	Ecostat S
15 755 xx0	Ecostat E
15 757 xx0	Ecostat E
15 758 xx0	Ecostat S
15 790 xx0	Ecostat S Care

### series HANSGROHE

01800180	i-Box Universal concealment set,	
in combination with:		
15 722 xx0	Puro	bath/ shower finish set
15 731 xx0	Mediano S	shower finish set
15 732 xx0	Mediano S	shower finish set
15 733 xx0	Mediano S	bath/ shower finish set
15 751 xx0	Classic	shower finish set
15 752 xx0	Classic	shower finish set
15 753 xx0	Classic	bath/ shower finish set
15 754 xx0	Classic	shower finish set
15 770 xx0	PuraVida	shower finish set
15 771 xx0	PuraVida	bath/ shower finish set
15 772 xx0	PuraVida	shower finish set
15 775 xx0	PuraVida	shower finish set
31 570 xx0	Metris E2	shower finish set
31 571 xx0	Metris E2	shower finish set
31 572 xx0	Metris E2	shower finish set
31 573 xx0	Metris E2	bath/ shower finish set

### series PICTA Comfort

13 715 xx0
13 714 xx0

### series PICTA Comfort

13 715 xx0
13 714 xx0

### series FOX

14 244 xx0
14 246 xx0

### series FOX

14 244 xx0
14 246 xx0

The products above have been tested according to EN1111:1998.

### series ECOSTAT Comfort

13 120 xx0	thermostatic shower mixer
13 121 xx0	thermostatic bath/shower mixer
13 114 xx0	thermostatic bath/shower mixer
13 116 xx0	thermostatic shower mixer

### series ECOSTAT Comfort Care

13 115 xx0	thermostatic bath/shower mixer
13 117 xx0	thermostatic shower mixer

### series ECOSTAT Select

13 141 xx0	thermostatic bath/shower mixer
13 161 xx0	thermostatic shower mixer
30 164 918	thermostatic shower mixer

### series ECOSTAT Universal

13 122 xx0	thermostatic shower mixer
13 111 xx0	thermostatic shower mixer

### series ECOSTAT Puro

13 148 xx0	thermostatic bath/shower mixer
13 232 xx0	thermostatic shower mixer

### series ECOSTAT Comfort HQ

13 112 xx0	thermostatic bath/shower mixer
13 714 xx0	thermostatic bath/shower mixer
13 138 xx0	thermostatic bath/shower mixer
14 442 xx0	thermostatic bath/shower mixer
13 113 xx0	thermostatic shower mixer

## Thermostatic mixers

		15 368 xx0	thermostatic shower mixer
<b>series Shower Tablet Select</b>		13 715 xx0	thermostatic shower mixer
13 151 xx0	thermostatic bath/shower mixer	13 137 xx0	thermostatic shower mixer
13 171 xx0	thermostatic shower mixer	13 288 xx0	thermostatic shower mixer
		14 642 xx0	thermostatic shower mixer
<b>series RAINDANCE POWDER RAIN</b>			
30 730 418	thermostatic shower mixer	<b>series ECOSTAT Comfort Nordic</b>	
		13 118 xx0	thermostatic bath/shower mixer
<b>series Shower Tablet Select 700</b>			
13 183 xx0	thermostatic bath/shower mixer	13 119 xx0	thermostatic shower mixer
13 184 xx0	thermostatic mixer with 2 universal outlets	<b>series ECOSTAT Refresh</b>	
<b>series VERNIS BLEND &amp; SHAPE</b>		13 324 xx0	thermostatic shower mixer
26 079 xx0	Shower pipe, consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower	13 325 xx0	thermostatic bath mixer
26 089 xx0	Shower pipe, consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower	13 346 xx0	thermostatic shower mixer
26 097 xx0	Shower pipe, consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	13 347 xx0	thermostatic bath mixer
26 098 xx0	Shower pipe, consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	24 261 xx0	Shower pipe, consist of 13 324 xx0 Thermostatic mixer 24110 Hand shower
26 274 xx0	Shower pipe, consist of: 30356318 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower	24 262 xx0	Shower pipe, consist of 13 324 xx0 Thermostatic mixer 24110 Hand shower
26 276 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26271 Head shower 26270 Hand shower	24 271 xx0	Shower pipe, consist of 13 346 xx0 Thermostatic mixer 24110 Hand shower
26 284 xx0	Shower pipe consist of: 30360118 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	24 271 xx0	Shower pipe, consist of 13 346 xx0 Thermostatic mixer 24110 Hand shower
26 286 xx0	Shower pipe consist of: 30360018 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	<b>series RAINFINITY</b>	
26 318 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	28 742 xx0	Shower pipe, consist of: 30220416 Thermostatic shower mixer 30032618 Over head shower 26865 Hand shower
26 319 xx0	Shower pipe consist of: 30356218 Thermostatic mixer and Riser Pipe 26281 Head shower 26270 Hand shower	26 853 xx0	Shower pipe, consist of: 30220416 Thermostatic shower mixer 30010500 Over head shower 26864 Hand shower
26 426 xx0	Shower pipe, consist of: 30356217 Thermostatic mixer and Riser Pipe 30306167 Overhead Shower 30331887 Hand Shower	<b>series PULSIFY</b>	
26 427 xx0	Shower pipe, consist of: 30360017 Thermostatic mixer and Riser Pipe	24 340 xx0	thermostatic bath/shower mixer
		24 360 xx0	thermostatic shower mixer
		24 220 xx0	Shower pipe, consist of 30376398 Thermostatic shower mixer 30302498 Overhead Shower 24110 Hand Shower
		24 221 xx0	Shower pipe, consist of 30376398 Thermostatic shower mixer 32302498 Overhead Shower 24111 Hand Shower
		24 230 xx0	Shower pipe, consist of 30375298 Thermostatic bath mixer 30302498 Overhead Shower 24110 Hand Shower
		24 240 xx0	Shower pipe, consist of 30373498 Thermostatic bath mixer 30358298 Overhead Shower 24110 Hand Shower
		24 241 xx0	Shower pipe, consist of 30373498 Thermostatic bath mixer



## Thermostatic mixers

## AXOR

**series BOUROLLEC**

01800180	i-Box Universal concealment set, in combination with:
19 700	finish set
19 702	finish set
19 704	finish set
19 706	bath/ shower finish set

**series CARLTON**

17 241 xx0	thermostatic bath/ shower mixer
17 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
17 700 xx0	shower finish set
17 705 xx0	shower finish set
17 710 xx0	shower finish set
17 712 xx0	shower finish set
17 715 xx0	shower finish set
17 716 xx0	shower finish set
17 720 xx0	bath/ shower finish set
17 725 xx0	bath/ shower finish set

**series CITERIO**

39 365 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
39 700 xx0	thermostatic mixer - concealed
39 705 xx0	thermostatic mixer - concealed
39 710 xx0	thermostatic mixer - concealed
39 711 xx0	shower finish set
39 715 xx0	thermostatic mixer – concealed
39 716 xx0	shower finish set
39 720 xx0	bath/ shower finish set
39 725 xx0	bath/ shower finish set

**series CITERIO M**

01800180	i-Box Universal concealment set, in combination with:
34 705 xx0	shower finish set
34 715 xx0	shower finish set
34 716 xx0	shower finish set
34 725 xx0	bath/shower finish set

**series MASSAUD**

01800180	i-Box Universal concealment set, in combination with:
18 740 xx0	shower finish set
18 741 xx0	shower finish set
18 745 xx0	shower finish set
18 750 xx0	bath/ shower finish set

**series URQUIOLA**

01800180	i-Box Universal concealment set, in combination with:
11 730 xx0	finish set
11 731 xx0	finish set
11 732 xx0	finish set
11 733 xx0	bath/ shower finish set

**series MONTREUX**

16 241 xx0	thermostatic bath/ shower mixer
16 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
16 800 xx0	shower finish set
16 810 xx0	shower finish set
16 815 xx0	shower finish set
16 820 xx0	bath/ shower finish set

**series STARCK**

01800180	i-Box Universal concealment set, in combination with:
10 700 xx0	shower finish set
10 710 xx0	shower finish set
10 715 xx0	shower finish set
10 720 xx0	bath/ shower finish set

**series STARCK X**

01800180	i-Box Universal concealment set, in combination with:
10 706 xx0	shower finish set
10 716 xx0	shower finish set
10 717 xx0	shower finish set
10 726 xx0	bath/ shower finish set

**series STEEL**

01800180	
35 700 xx0	shower finish set
35 710 xx0	shower finish set
35 715 xx0	shower finish set
35 720 xx0	bath/ shower finish set

**series TERRANO**

37 241 xx0	thermostatic bath / shower mixer
37 261 xx0	thermostatic shower mixer
01800180	i-Box Universal concealment set, in combination with:
37 700 xx0	shower finish set
37 705 xx0	shower finish set
37 710 xx0	shower finish set
37 711 xx0	shower finish set
37 715 xx0	shower finish set

**series UNO**

01800180	i-Box Universal concealment set, in combination with:
38 715 xx0	shower finish set
38 375 xx0	shower finish set
38 700 xx0	shower finish set
38 720 xx0	bath/ shower finish set

## Thermostatic mixers

---

### series URQUIOLA

11 422 000 roman tub set

### series CITTERIO E

36 140 xx0 thermostatic bath/ shower mixer

36 160 xx0 thermostatic shower mixer

### series CITTERIO M

34 435 xx0 thermostatic bath/ shower mixer

34 635 xx0 thermostatic shower mixer

### series SHOWER COMPOSITION

12571xx0 thermostatic shower mixer in combination with:

18310180 basic set

12572xx0 thermostatic shower mixer in combination with:

18311180 basic set

12573xx0 thermostatic shower mixer in combination with:

18312180 basic set

12595xx0 Shower panel in combination with:

12676180 basic set

### series CITTERIO C

49 700 xx0 Thermostatic module 380/120 for concealed installation with plate for 2 functions

49 701 xx0 Thermostatic module 380/120 for concealed installation with plate for 2 functions - cubic cut

49 710 xx0 Thermostatic module 380/120 for concealed installation with escutcheons for 3 functions

49 711 xx0 Thermostatic module 380/120 for concealed installation with escutcheons for 3 functions - cubic cut

### series ONE

45 711 xx0 Module for concealed installation,1 outlet

45 712 xx0 Module for concealed installation,2 outlets

45 713 xx0 Module for concealed installation,3 outlets

### series STARCK Organic

12 410 xx0 thermostatic bath/ shower mixer

12 602 xx0 thermostatic shower mixer

### series Terra

12 672 xx0 Thermostatic shower set with concealed body, in combination with:

30000518 Head shower

28532xxx Hand shower

The products above have been tested according to EN1111:2017.

The colour code (xx0) of the mentioned mixers can be as follows:

-02	Polished Chrome PVD
-13	Polished Bronze PVD
-14	Brushed Bronze PVD
-25	Brushed Gold Optic PVD
-26	Brushed Chrome PVD
-28	Black Glossy, Powder coated
-29	Black Matt, Powder coated
-30	Polished Red gold PVD
-31	Brushed Red gold PVD
-33	Polished Black Chrome PVD
-34	Brushed Black Chrome PVD
-35	Real Gold, Galvanic
-36	Black Matt, Wet coating
-47	Black Glossy, Wet coating
-51	White Glossy, Powder coated
-53	White Matt , Powder coated
-54	White Glossy , Wet coating
-55	White Matt, Wet coating
-66	Polished Steel Optic PVD
-80	Brushed Steel Optic PVD
-82	Brushed Nickel PVD
-83	Polished Nickel PVD
-99	Polished Gold Optic PVD
-670	Black Matt, Powder coated
-670	Black Matt, Wet coating
-700	White Matt, Powder coated
-700	White Matt, Wet coating

## Thermostatic mixers

---

### Remark

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 01 July 2017, as specified in clause 4.2.2.1 of the Kiwa Evaluation guideline BRL-K610.

### Application and use

Thermostatic mixing valves are intended for application in tap water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 90 °C. The recommended limits for correct operation are: a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65 °C.

### Marking

The Kiwa®-mark products are marked with the wordmark "KIWA".  
Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer: on the body;
- indication for temperature selection: on the control device;
- the acoustic group, if classified: on the body;
- the flow rate class: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE  
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.