

Product certificate
K6053-32



Valid from **2026-03-15** Replaces **K6053-31**
Page **1 of 8**

Shower heads and hand showers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Hansgrohe SE

as specified in this product certificate and marked with the Kiwa[®]-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K658: 2025 “Shower heads and hand showers for sanitary tapware”,

which covers the requirements of

EN 1112: 2008 “Sanitary tapware - Shower outlets for sanitary tapware for water supply systems of type 1 and type 2 - General technical specification”.

Wim van Loon
Managing Director Nederland

Publication of this certificate is allowed.
Advice: consult www.kiwa.com in order to ensure that this certificate is still valid.



K6053-32**Shower heads and hand showers****TECHNICAL SPECIFICATION**

The products mentioned below belong to this certificate;

One function

Type¹	Design	Article no.	Flow rate class	Acoustic group
HS	Croma	28511	B	I
HS	Tastic	28517	B	not classified
HS	Marin 1	28301	B	I
FS	Raindance 180 mm	27471	B	not classified
FS	Raindance 180 mm	27472	C	not classified
FS	Raindance 240 mm	27474	B	not classified
FS	Raindance 240 mm	27477	B	not classified
FS	Raindance 180 mm	27476	B	not classified
FS	Raindance 180 mm	27478	B	not classified
HS	Raindance Puro 150	28505	C	I
HS	Raindance Elegance 100	28508	C	I
HS	Raindance Puro 100	28509	C	I
HS	Axor Starck	28531	B	I
HS	Axor Montreux	16320	B	I
HS	Crometta 85 1 jet ²	28561	ZZ	I
HS	Axor Front	26025	Z	I
HS	Croma 100	28580	B	I
HS	Croma 100 EcoSmart	28583	Z	I
HS	Crometta 85 1jet	28585	A	I
HS	Crometta 85 1jet EcoSmart	28606	A	I
HS	Axor Starck ²	10531	Z	not classified
HS	PuraVida 120 1jet EcoSmart	28568	Z	I
HS	Rainfall 150	26442	B	not classified
HS	Rainfall 150 Stream	26443	B	not classified
HS	Croma 160 EcoSmart	28450	Z	not classified
HS	PuraVida AIR 1 jet	28558	B	I
HS	Croma Select S 1jet	26804	B	I
HS	Croma Select S 1jet EcoSmart	26805	Z	I
HS	Croma Select S 1jet 7/lmin ²	26806	ZZ	I
HS	Croma Select E 1jet	26814	B	I
HS	Croma Select E 1jet EcoSmart	26815	Z	I
HS	Croma Select E 1jet 7/lmin ²	26816	ZZ	I
HS	MySelect S 1jet	26638	B	I
HS	MySelect S 1jet Eco	26639	Z	I
HS	Croma 280 Air 1 Jet	26220	B	not classified
HS	Picta Croma 280 Air 1 Jet	26882	B	not classified
HS	Croma 280 air 1 Jet EcoSmart	26221	Z	not classified
HS	Crometta 1jet	26331	B	not classified
HS	Crometta 1jet EcoSmart	26333	Z	not classified
HS	Crometta 1jet Green	26334	ZZ	not classified
FS	Crometta E 240 1jet	26726	B	not classified
FS	Crometta E 240 1jet EcoSmart	26727	Z	not classified
FS	Crometta E 240 1jet Low Pressure	267220	C	not classified
FS	Crometta S 240 1jet	26723	B	not classified
FS	Crometta S 240 1jet EcoSmart	26724	Z	not classified
FS	Crometta S 240 1jet Low Pressure	26725	C	not classified
FS	Raindance S240 PowderRain	27607	B	II
FS	Raindance S240 PowderRain	27620	B	II

K6053-32

Shower heads and hand showers

FS	Raindance S240 PowderRain	27623	B	II
FS	Croma E 280 1jet	26257	B	not classified
FS	Crome E 280 1jet EcoSm 9L	26258	Z	not classified
HS	Rainfinity rod 130 1 jet	26866	S	I
HS	Rainfinity rod 130 1 jet 9L/min	26867	ZZ	I
FS	Rainfinity 250 1 jet	26226	D	not classified
FS	Rainfinity 250 1 jet 9L/min	26227	Z	not classified
FS	Rainfinity 250 1 jet	26228	D	not classified
FS	Rainfinity 250 1 jet 9L/min	26229	Z	not classified
FS	Rainfinity 360 1 jet	26230	S	not classified
FS	Rainfinity 360 1 jet	26231	S	not classified
HS	Pulsify 105 1 jet	24120	B	not classified
HS	Pulsify 105 1 jet	24121	ZZ	not classified
HS	Pulsify 105 1 jet	24122	B	not classified
HS	Pulsify 105 1 jet	24124	ZZ	not classified
FS	Pulsify 105 1 jet	24130	A	not classified
FS	Pulsify 105 1 jet	24132	ZZ	not classified
HS	HG Pulsify KB 260 1jet, combined with: Wall connection: 24139 or 24149	24140	A	II
HS	HG Pulsify KB 260 1jet EcoSmart, combined with Wall connection: 24139 or 24149	24141	Z	II
HS	Vernis	26093	Z	II
HS	Vernis	26271	A	II
HS	Vernis	26277	Z	II
HS	Vernis	26094	Z	II
HS	Vernis	26281	A	II
HS	Vernis	26283	Z	I
HS	AX KB 220 1jet chrom	35382	A	II
HS	AX KB 220 1jet EcoSmart chrom	35383	Z	II
HS	AX KB 220 1jet EcoSmart+	35388	Z	II
HS	AX KB 245/185 1jet	35373	A	II
HS	AX KB 180 1jet EcoSmart chrom	35374	Z	II
HS	AX KB 245/180 1jet EcoSmart+	35387	Z	II
HS	AX KB 245 1jet chrom	35380	A	II
HS	AX KB 245 1jet EcoSmart chrom	35381	Z	II
HS	AX KB 245 1jet	35389	Z	II
HS	Raindance	30000518	S	not classified
FS	AX ShowCompos. KB-Modul 110/220 1j chr	12592	Z	II
FS	AX ShowCompos. Brausenmod 110/220 1j chr	12593	S	I
FS	Axor Citterio C 1jet wall-mounted 12 l/min	28790xx0	Z	II
FS	Axor Citterio C 1jet wall-mounted 8 l/min EcoSmart	28791xx0	Z	II
FS	Axor Citterio C 1jet ceiling mounted 12 l/min	28792xx0	Z	II
FS	Axor Citterio C 1jet ceiling mounted 8 l/min EcoSmart	28793xx0	Z	II
FS	Axor Citterio C 1jet ceiling-flush 12 l/min with basic set 26039180.	28794xx0	Z	I
FS	Axor Citterio C 1jet ceiling-flush 8 l/min EcoSmart with basic set 26039180.	28795xx0	Z	I
FS	Axor Citterio C 100/120 1jet Ecosmart with shower arm	28810xx0		
FS	Axor Showersphere 370/220 1jet with shower arm	39748xx0	A	II
FS	Axor Showersphere 370/220 1jet with shower arm	39749xx0	Z	II
FS	Axor Showersphere 250/160 1jet with shower arm	39754xx0	A	II
FS	Axor Showersphere 250/160 1jet with shower arm	39755xx0	Z	II
FS	Axor Showersphere 370/220 1jet with ceiling connector	39760xx0	A	II
FS	Axor Showersphere 370/220 1jet Ecosmart with ceiling connector	39761xx0	Z	I

K6053-32**Shower heads and hand showers**

FS	Axor Showersphere 250/160 1jet with ceiling connector	39763xx0	A	II
FS	Axor Showersphere 250/160 1jet Ecosmart with ceiling connector	39764xx0	Z	I
FS	Axor Showersphere ceiling connector for overhead shower 1jet	39767xx0		
FS	Axor Showersphere 250/160 1jet Ecosmart with shower arm	39770xx0	Z	I
FS	Axor Showersphere 250/160 1jet Ecosmart with ceiling connector	39771xx0	Z	I
FS	Axor One Overhead shower 280 1 jet	30357418		
FS	Axor One Overhead shower 280 1 jet	33357418		
HS	Axor One Overhead shower 280 1 jet	48651000	Z	I
HS	Pulsify S 100 1jet EcoSmart	24125xx0	Z	I
HS	Pulsify S 100 1jet EcoSmart+	24126xx0	Z	I
HSS	Pulsify S 105 1jet	24307xx0		
HS	Pulsify E 100 1jet EcoSmart	24320xx0	Z	I
HS	Pulsify E 100 1jet EcoSmart+	24321xx0	Z	I
FS	Pulsify E 260 1jet	24330xx0	A	II
FS	Pulsify E 260 1jet EcoSmart	24331xx0	A	II
FS	Pulsify E 260 1jet EcoSmart+	24333xx0	A	II
	Pulsify E 100 1jet EcoSmart consisting of:			
HSS	24320xx0 – hand shower	24370xx0		
	24404xx0 – shower bar 65 cm (including hose 28276xx0)			
	Pulsify E 100 1jet EcoSmart+ consisting of:			
HSS	24321xx0 – hand shower	24371xx0		
	24404xx0 – shower bar 65 cm (including hose 28276xx0)			
	Pulsify E 100 1jet EcoSmart, consisting of:			
HSS	24320xx0 – hand shower	24380xx0		
	24403xx0 – shower bar 90 cm (including hose 28276xx0)			
	Pulsify E 100 1jet EcoSmart+, consisting of:			
HSS	24321xx0 – hand shower	24381xx0		
	24403xx0 – shower bar 90 cm (including hose 28276xx0)			
HS	Pulsify blend 105 1jet EcoSmart+	24124000	ZZ	I
HS	HG Raindance Alive HB 125	24500xx0	A	I
HS	HG Raindance Alive HB 125 Eco	24511xx0	Z	I
HS	HG Raindance Alive HB 125 Eco+	24512xx0	Z	I
FS	HG Raindance Alive S KB 300 1jet	24520xx0	A	II
FS	HG Raindance Alive S KB 300 1j EcoSm	24521xx0	Z	II
FS	Raindance Alive S 300 1jet EcoSmart+	24523000	Z	I
FS	HG Raindance Alive Q KB 210/340 1jet	24530xx0	A	II
FS	HG Raindance Al. Q KB 210/340 1j Eco	24531xx0	Z	II
FS	Raindance S 240 1jet PowderRain Ecosmart+	28821xx0	Z	I
FS	Raindance S 240 1jet PowderRain Ecosmart+	27624xx0	Z	I
	Activera S shower set 95 1jet composed of:			
HSS	28031 Hand shower + 28276 hose	28041xx0		
	Activera S shower set 95 1jet composed of:			
HSS	28031 Hand shower + 28276 hose	28042xx0		
HS	Activera S 95 1jet Ecosmart	28031xx0	Z	I
HS	Activera S 95 1jet Ecosmart	28032xx0	Z	I
FS	Activera S 240 1jet	28055xx0	A	II
FS	Activera S 240 1jet Ecosmart	28056xx0	Z	II
FS	Activera S 240 1jet Ecosmart+	28057xx0	Z	I
FS	Activera S 240 1jet EcoSmart composed of 28033 Hand shower + 28056 Head shower + 28276 hose	28074xx0	O	I

K6053-32

Shower heads and hand showers

Two functions

Type	Design	Article no.	Flow rate class	Acoustic group
SS	Aktiva	28451	A	not classified
HS	Croma	28570	B	I
HS	Croma Variojet	28513	B	I
HS	Nova Star	28376	B	not classified
HS	Selecta	28317	S	not classified
HS	Selecta Classic	28315	B	I
HS	Selecta Classic	28326	B	I
HS	Marin 2	28302	B	I
HS	Axor Starck	28532	B	I
HS	Axor Starck 2jet 2.5 GPM	28703xx1	Z	I
FS	Axor Showersphere 370/220 2jet	39745xx0	A	II
FS	Axor Showersphere 370/220 2jet	39746xx0	Z	II
FS	Axor Showersphere 370/220 2jet with ceiling connector	39757xx0	A	II
FS	Axor Showersphere 370/220 2jet EcoSmart with ceiling connector	39758xx0	Z	II
FS	Axor Showersphere ceiling connector for overhead shower 2jet	29768xx0		
FS	Axor Showersphere 370/220, 2jet with ceiling connector	39766180		
HS	Crometta 85 vario jet	28562	C	I
HS	Crometta 85 Variojet EcoSmart	28607	C	I
SS	Aktiva	28451	A	not classified
HS	Croma	28570	B	I
HS	Croma Variojet	28513	B	I
HS	Nova Star	28376	B	not classified
HS	Selecta	28317	S	not classified
HS	Selecta Classic	28315	B	I
HS	Selecta Classic	28326	B	I
HS	Marin 2	28302	B	I
HS	Crometta 85 vario jet	28562	C	I
HS	Crometta 85 Variojet EcoSmart	28607	C	I
HS	Crometta Vario	26330	B	I
HS	Crometta Vario EcoSmart	26332	Z	I
HS	Crometta Vario Green	26336	ZZ	I
HS	Axor Starck Organic WetStick	12680	S	not classified
HS	Vernis	26090	OO	I
HS	Vernis	26270	OO	I
HS	Vernis	26340	OO	I
HS	Vernis	26275	OO	I
HS	Vernis	26279	OO	I
HS	Jocolino	28760210	A	I
HS	Jocolino	28787640	A	I
HS	Jocolino	28788570	A	I
HS	HG Pulsify KB 260 2 jet	24150	A	I
HS	HG Pulsify KB 260 2 jet Eco	24151	A	I
FS	AX ShowCompos. Brausenmod 250/250 2j chr	12594	S	I
FS	Pulsify E 260 2jet with wall connector	24350xx0	Z	II
FS	Pulsify E 260 2jet EcoSmart with wall connector	24351xx0	Z	II
FS	HG Raindance Alive S KB 300 2j Wand (basic set 24573180)	24540xx0	A	II
FS	HG Raind. Alive S KB 300 2j Eco Wand (basic set 24573180)	24541xx0	Z	II
FS	HG Raind. Alive Q KB 210/340 2j Wand (basic set 24573180)	24550xx0	A	II
FS	HG RD Alive Q KB 210/340 Eco Wand (basic set 24573180)	24551xx0	Z	II
HSS	Activera S Shower set 95 2jet EcoSmart composed of: 29031 Hand shower + 28276 hose	28050xx0		

K6053-32**Shower heads and hand showers**

HS	Activera Select S 95 2jet EcoSmart	28033 xx0	Z	I
HS	Activera Select S 95 2jet EcoSmart	28034xx0	Z	I
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower + 28276 Hose	28044xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28034 Hand shower + 28276 Hose	28045xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower + 28276 Hose	28046xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower + 28276 Hose	28048xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower + 28276 Hose	28050xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower	28052xx0	-	not classified
HS	Activera Select S shower set 95 2jet EcoSmart composed of 28033 Hand shower	28054xx0	-	not classified

Three functions

Type	Design	Article no.	Flow rate class	Acoustic group
HS	Aktiva	28543	B	not classified
FS	Aktiva	27470/28490	D	not classified
HS	Aktiva A6	28546	B	I
FS	Clubmaster	27475/28496	D	not classified
HS	Croma	28573	B	I
HS	Mistral	28590	B	I
HS	Mistral Eco	28394	S	not classified
HS	Mistral 3	28524	C	I
HS	Selecta	28522	B	I
HS	Selecta	28520	B	I
HS	Marin 3	28303	B	I
HS	Axor Uno	38850	B	I
HS	Axor Steel	35852	B	I
HS	Axor Shower Solutions 130 3jet	39772xx0	A	I
HS	Croma 100 Multi	28536	B	I
HS	Croma 100 Multi 9,4 l/min 2	28538	Z	I
HS	Verso Multi	28778	C	I
HS	Croma S 100 Multi	28579	C	I
HS	IC Croma S 100 Verso Multi	69902332	C	I
HS	Raindance E 100 Air 3 jet	28502	C	I
HS	Raindance S 100 Air 3 jet	28504	B	I
HS	Raindance E 120 Air 3 jet	28507	B	I
HS	Raindance S 120 Air 3 jet	28514	B	I
HS	Raindance E 150 Air 3 jet	28518	D	I
HS	Raindance S 150 Air 3 jet	28519	C	I
HS	Crometta 85 3 jet	28563	B	I
HS	Raindance Select 150	28587	S	not classified
HS	Raindance Select	28588	Z	not classified
HS	Crometta 85 Multi jet EcoSmart	28608	B	I
HS	PuraVida 150 3jet EcoSmart	28567	Z	I
HS	Raindance Select S 120 3jet PowderRain EcoSmart	26515	Z	not classified
HS	Raindance Select S 120 3jet PowderRain EcoSmart	26516	Z	not classified
HS	Raindance Select E120	26520	S	not classified
HS	Picta Select E120	26880	S	not classified

K6053-32**Shower heads and hand showers**

HS	Raindance Select E120 EcoSmart2	26521	Z	not classified
HS	Croma 100 Multi jet EcoSmart	28460	Z	not classified
HS	PuraVida 150 AIR 3 jet	28557	B	I
HS	Croma C100 Multi jet	28539	C	I
HS	Froggy Raindance S 100 Air 3 jet	28545	B	I
HS	Raindance Select E 150 3 jets	26550	B	I
HS	Raindance Select E 150 3 jets	26551	Z	I
HS	Raindance Select E 120	26530	S	I
HS	Raindance Select E 120	26531	Z	I
HS	Croma Select S Multi	26800	B	I
HS	Croma Select S Multi EcoSmart	26801	Z	I
HS	Croma Select S Vario	26802	S	I
HS	Croma Select S Vario EcoSmart	26803	Z	I
HS	Croma Select E Multi	26810	B	I
HS	Croma Select E Multi EcoSmart	26811	Z	I
HS	Croma Select E Vario	26812	S	I
HS	Croma Select E Vario EcoSmart	26813	Z	I
HS	MySelect S Multi	26636	B	I
HS	MySelect S Vario	26637	Z	I
HS	Raindance Select S120 PowderRain	26014	A	I
FS	Rainfinity 250 3 jet	26232	-	not classified
FS	Rainfinity 250 3 jet 9L/min	26233	Z	not classified
FS	Rainfinity 360 3 jet	26234	-	not classified
HS	Rainfinity rod 130 3 jet	26864	Z	I
HS	Rainfinity rod 130 3 jet 9 L/min	26865	ZZ	I
HS	Pulsify 105 3 jet Activation	24100	A	not classified
HS	Pulsify 105 3 jet Activation	24101	Z	not classified
HS	Pulsify 105 3 jet Activation	24103	A	not classified
HS	Pulsify 105 3 jet Activation	24104	Z	not classified
HS	Pulsify 105 3 jet Activation	24110	A	not classified
HS	Pulsify 105 3 jet Activation	24111	Z	not classified
HS	Pulsify 105 3 jet Activation	24113	A	not classified
HS	Pulsify 105 3 jet Activation	24114	Z	not classified
HSS	Pulsify Select S 105 3 jet consisting of: 24111 hand shower + 28276 hose	24305xx0		
HSS	Pulsify Select S 105 3 jet consisting of: 24111 hand shower + 28272 Hose	24306xx0		

Four functions

Type	Design	Article no.	Flow rate class	Acoustic group
HS	Aktiva A8	28547	S	I
HS	Croma 100 Vario	28535	C	I
HS	Croma 100 Vario 9,4 l/min 2	28537	Z	I
HS	Verso Vario	28779	C	I
HS	Croma S 100 Vario	28572	C	I
HS	IC Croma S 100 Verso Vario	69902365	C	I
HS	Croma 100 Vario EcoSmart	28462	Z	I

Five functions

Type	Model	Article no.	Flow rate class	Acoustic group
HS	Raindance	28500	B	I
HS	Raindance	28501	B	I

Shower heads and hand showers

Ad¹) HS: hand shower; FS: fixed shower head; SS: side shower; HSS – hand shower set

Ad²) Fits in the low water consumption class and is allowed to be provided with the sticker “Laag Verbruik” (Low water consumption).

The products can be provided with the following coatings:

- 000 Chrome
- 450 White
- 090 Chrome/gold
- 800 Edel steel
- 880 Edel matt
- 670 Black Matt, Powder coated
- 670 Black Matt, Wet coating
- 700 White Matt, Powder coated
- 700 White Matt, Wet coating

Remark

The above listed products were not yet assessed for compliance with all Hygienic Aspects as stated in the Dutch Drinking Water Decree and as outlined in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (“Regulation on materials and chemicals in drinking water and warm tap water supply), implemented on 01 July 2017, as specified in clause 4.2 of the Kiwa Evaluation guideline BRL-K658.

Marking

The Kiwa[®]-mark products are marked with the word mark “KIWA”.

Place of the mark:

- on the shower head or hand shower.

Compulsory specifications:

- name or mark of the manufacturer: on the shower head or hand shower;
- flow rate class (if applicable): on the shower head or hand shower;
- acoustic group (if applicable): on the shower head or hand shower.

Method of marking:

indelible; visible after assembly

APPLICATION AND USE

Shower heads and hand showers for sanitary taps according to EN 1112 are intended for application in drinking water installations with a static water pressure of maximum 1000 kPa and a maximum water temperature of 75°C.

The recommended limits for correct operation are a dynamic pressure between 100 kPa and 500 kPa and a water temperature of maximum 65°C.

RECOMMENDATIONS FOR THE CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Hansgrohe SE
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier’s processing guidelines for the proper storage and transport methods.