

36 501 977 Product version up to 2/2/2021



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- WRAS

	Chrome	36 501 977-00
	Brushed Platinum	36 501 977-06
	Platinum	36 501 977-08
	Durabress (23kt Gold)	36 501 977-09
	Brushed Durabress (23kt Gold)	36 501 977-28
	Brushed Dark Brass (PVD)	36 501 977-39
	Brushed Bronze (PVD)	36 501 977-42
	Brushed Dark Platinum	36 501 977-99

Required miscellaneous

	xTOOL Concealed thermostat module without volume control - •min. recess depth 85 mm •max. recess depth 110 mm	35 503 970 90
--	--	---------------

Required miscellaneous


	xGRID Installation track 555 mm -	12 360 970 90
--	--	---------------

Recommended miscellaneous


	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90
--	--	---------------

36 501 977 Product version up to 2/2/2021

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



MADISON xTOOL Concealed thermostat without volume control 1/2" - Chrome

MADISON

36 501 977 Product version up to 2/2/2021

Certificates and sustainability

WRAS_2011

DVGW_DW-
6512DN0

LGA_29


LGA_29

LGA_29

EPD-DOR-20230287

-IBA1-EN

Environmental.prod
uct-declarat



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
11	90 31 20 049 00-00	Plug - Chrome	1.00	20
6	90 21 02 112 00-00	Sleeve - Chrome	1.00	20
1	90 15 02 065 00 90	Thermostat cartridge with control unit Ø 44 x 147 mm -	1.00	14
2	90 11 01 196 00 90	Retainer -	1.00	14
8	90 21 33 011 00-13	Repair kit for thermostat handle - black	1.00	14
7	90 17 33 005 01-00	Handle complete for thermostat - Chrome	1.00	20
4	09 31 11 048 90	Mounting Threaded pin with hexagon socket with point M4 x 8 mm -	1.00	14
10	90 30 30 136 00 90	Bolt -	1.00	14
9	90 16 02 027 00 90	Spring Ø 4,5 x 7,5 mm -	1.00	14
5	90 14 10 049 00 90	O-Ring 45,69 x 2,62 mm -	1.00	14
3	09 11 02 543-00	cover	1.00	20